

My fertilizer sample

Spreader Application Center

ORIGIN Sulphate of Ammonia
21%N + 24%S





No.13






Material test ID: 583026833
 Material ID: 435163
 Created on: 06.01.2026



ORIGIN Sulphate of Ammonia 21%N + 24%S

∅ 3.38 mm	149 °	 1 kg/l	 5.9 kg/min
77.6 N	 0.45 %	 12.9	



Please note for your information: Even if the results of the tested fertiliser sample suggest a definitive recommendation as to the settings on the fertiliser spreader, it is not possible for AMAZONE to unequivocally guarantee the actual distribution in the field. For besides the physical properties of the fertiliser, the distribution depends on other additional factors, such as storage of the product between the testing and spreading, the setting and the level of maintenance on the spreader, or its actual operation by the tractor driver. We therefore recommend that the settings are verified in the field by the use of, for example, the mobile test kit.

Table of Contents

1	ZAM	1
1.1	ZAM OM Limiter e/m Schieber	1
1.2	ZAM OM TS e/m Schieber	4
1.3	ZAM OM Hydro	8
2	ZAMU	9
2.1	ZAM Ultra OM Limiter e/m	9
2.2	ZAM Ultra OM Hydro e/m	12
3	ZATS	15
3.1	ZATS TS 1, TS 2, TS 3	15
3.2	ZATS TS 10, TS 20, TS 30	16
4	ZAV	17
4.1	ZAV Hydro	17
4.2	ZAV Limiter e/m Schieber	18
5	ZAX	21
5.1	ZAX Limiter	21
5.2	ZAX TQ	23

6	ZGBD	25
6.1	ZGB Drive OM Limiter	25
7	ZGTS	30
7.1	ZGTS TS 1,TS 2,TS 3	30
7.2	ZGTS TS 10,TS 20,TS 30	31



(583026833)

















ORIGIN Sulphate of Ammonia 21%N + 24%S

No.13



0.98 3.38 mm 1.00 kg/l



ZAM										
										
OM 10-12	10	27 / 46	720	A12	A15	25	2	1 A15	30	5
	12	27 / 46	720	A10	A13	25	2	2 A13	30	5
OM 10-16	10	24 / 48	720	A12	A15	25	2	1 A15	30	5
	12	24 / 48	720	A10	A13	25	2	2 A13	30	5
	15	24 / 48	720	A8	A12	27	3	A15	32	6
	16	24 / 48	720	A7	A10	27	3	A14	32	6
OM 18-24	18	20 / 44	720	A8	A13	27	3	A15	32	6
	20	21 / 44	720	A6	A12	30	4	A14	35	7
	21	22 / 44	720	A4	A11	30	4	A14	35	7
	24	24 / 45	870	B2	B10	35	5	B12	40	8
OM 24-36	24	14 / 42	720	B2	B11	35	5	B12	40	8
	27	14 / 46	720	B1	B10	35	5	B12	40	8
	28	14 / 48	720	B0	B9	35	5	B12	40	8
	30	16 / 50	870	B0	B8	37	6	B11	42	9
	32	17 / 52	870	B0	B7	37	6	B10	42	9
	33	17 / 53	870	B0	B6	37	6	B9	42	9
	36	17 / 55	870	B0	B5	37	6	B8	42	9

1. Disc-speed 535 1/min 2. Disc-speed 600 1/min



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	10,0	13	16	18,5	20	21,5	22,5	23,5	24,5	25,5	26,5	27,5	28,5	29	30	30,5	31,5	32	32,5	33,5	34,5	36	38	40,5	42,5	44,5
	12,0	14,5	17,5	19,5	21,5	23	24	25,5	26,5	27,5	28,5	29,5	30,5	31	32	33	33,5	34,5	35	36	37	38,5	41	44	46,5	49
	14,0	15,5	18,5	21	22,5	24	25,5	27	28	29	30	31	32	33	34	35	35,5	36,5	37,5	38	39,5	41	44	47	50	53
12	10,0	14,5	17,5	19,5	21,5	23	24	25,5	26,5	27,5	28,5	29,5	30,5	31	32	33	33,5	34,5	35	36	37	38,5	41	44	46,5	49
	12,0	16	19	21	23	24,5	26	27	28	29,5	30,5	31,5	32,5	33,5	34,5	35	36	37	38	38,5	40	42	45	48	51	54
	14,0	17	20	22,5	24	26	27,5	28,5	30	31	32,5	33,5	34,5	35,5	36,5	37,5	38,5	39,5	40,5	41	43	45	48,5	52	55,5	60
15	10,0	16	19	21,5	23	24,5	26	27,5	28,5	30	31	32	33	34	35	36	36,5	37,5	38,5	39,5	41	42,5	45,5	49	52	55,5
	12,0	17,5	20,5	23	24,5	26,5	28	29,5	30,5	32	33	34,5	35,5	36,5	37,5	38,5	39,5	40,5	41,5	42,5	44,5	46,5	50	54	58	63,5
	14,0	18,5	22	24	26	28	29,5	31	32,5	34	35	36,5	37,5	39	40	41	42,5	43,5	44,5	45,5	48	50	54,5	60	66,5	-
16	10,0	16,5	19,5	22	23,5	25,5	27	28	29,5	30,5	31,5	33	34	35	36	36,5	37,5	38,5	39,5	40,5	42	44	47	50,5	54	57,5
	12,0	18	21	23,5	25,5	27	28,5	30	31,5	33	34	35	36,5	37,5	38,5	39,5	40,5	42	43	44	46	48	52	56	61	68
	14,0	19	22,5	24,5	27	28,5	30,5	32	33,5	35	36	37,5	39	40	41	42,5	43,5	45	46	47	49,5	52	57	63	-	-
18	10,0	17,5	20,5	23	24,5	26,5	28	29,5	30,5	32	33	34,5	35,5	36,5	37,5	38,5	39,5	40,5	41,5	42,5	44,5	46,5	50	54	58	63,5
	12,0	19	22	24,5	26,5	28	30	31,5	33	34,5	35,5	37	38	39,5	40,5	42	43	44	45	46,5	48,5	51	55,5	61	69,5	-
	14,0	20	23	26	28	30	31,5	33,5	35	36,5	38	39,5	41	42	43,5	45	46	47,5	49	50	53	55,5	62	-	-	-
20	10,0	18,5	21,5	23,5	25,5	27,5	29	30,5	32	33,5	34,5	36	37	38	39,5	40,5	41,5	42,5	43,5	44,5	47	49	53	57,5	63,5	-
	12,0	19,5	23	25,5	27,5	29,5	31	33	34,5	36	37	38,5	40	41	42,5	44	45	46,5	47,5	49	51,5	54	60	68	-	-
	14,0	21	24	27	29	31	33	35	36,5	38	39,5	41	42,5	44	45,5	47	48,5	50	51,5	53	56,5	60	70,5	-	-	-
21	10,0	18,5	22	24	26	28	29,5	31	32,5	34	35	36,5	37,5	39	40	41	42,5	43,5	44,5	45,5	48	50	54,5	60	66,5	-
	12,0	20	23	26	28	30	31,5	33,5	35	36,5	38	39,5	41	42	43,5	45	46	47,5	49	50	53	55,5	62	-	-	-
	14,0	21	24,5	27,5	29,5	31,5	33,5	35,5	37	39	40,5	42	43,5	45,5	47	48,5	50	51,5	53	54,5	58	62	-	-	-	-
24	10,0	19,5	23	25,5	27,5	29,5	31	33	34,5	36	37	38,5	40	41	42,5	44	45	46,5	47,5	49	51,5	54	60	68	-	-
	12,0	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	42	43,5	45	46,5	48	49,5	51	52,5	54	57,5	61	-	-	-	-
	14,0	22,5	26	28,5	31	33,5	35,5	37,5	39,5	41	43	45	46,5	48,5	50	52	53,5	55,5	57,5	60	65	-	-	-	-	-
27	10,0	20,5	24	26,5	28,5	30,5	32,5	34,5	36	37,5	39	40,5	42	43,5	45	46,5	47,5	49	50,5	52	55	58	66,5	-	-	-
	12,0	22	25,5	28	30,5	33	35	37	39	40,5	42,5	44	46	47,5	49	51	52,5	54,5	56,5	58	62,5	69,5	-	-	-	-
	14,0	23	27	30	32,5	35	37	39,5	41,5	43,5	45,5	47,5	49,5	51,5	53,5	55,5	58	60,5	63	66,5	-	-	-	-	-	-
28	10,0	21	24	27	29	31	33	35	36,5	38	39,5	41	42,5	44	45,5	47	48,5	50	51,5	53	56,5	60	70,5	-	-	-
	12,0	22,5	26	28,5	31	33,5	35,5	37,5	39,5	41	43	45	46,5	48,5	50	52	53,5	55,5	57,5	60	65	-	-	-	-	-
	14,0	23,5	27,5	30,5	33	35,5	38	40	42	44	46,5	48,5	50,5	52,5	54,5	57	59,5	62	65,5	70,5	-	-	-	-	-	-
30	10,0	21,5	24,5	27,5	30	32	34	36	37,5	39,5	41	42,5	44	45,5	47,5	49	50,5	52	53,5	55,5	59	63,5	-	-	-	-
	12,0	23	26,5	29,5	32	34,5	36,5	38,5	40,5	42,5	44,5	46,5	48	50	52	54	56	58	60,5	63,5	-	-	-	-	-	-
	14,0	24	28	31	34	36,5	39	41	43,5	45,5	48	50	52,5	54,5	57	60	63	66,5	-	-	-	-	-	-	-	-



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
32	10,0	22	25,5	28	30,5	33	35	36,5	38,5	40,5	42	44	45,5	47	49	50,5	52,5	54	56	57,5	62	68	-	-	-	-
	12,0	23,5	27	30	33	35	37,5	39,5	42	44	46	48	50	52	54	56	58,5	61	64	68	-	-	-	-	-	-
	14,0	24,5	28,5	32	35	37,5	40	42,5	45	47	49,5	52	54,5	57	60	63	67	-	-	-	-	-	-	-	-	-
33	10,0	22	25,5	28,5	31	33	35	37	39	41	42,5	44,5	46	48	49,5	51,5	53	55	57	59	64	-	-	-	-	-
	12,0	23,5	27,5	30,5	33	35,5	38	40	42,5	44,5	46,5	48,5	50,5	53	55	57,5	60	62,5	66	-	-	-	-	-	-	
	14,0	25	29	32,5	35	38	40,5	43	45,5	48	50,5	53	55,5	58	61	65	71	-	-	-	-	-	-	-	-	
36	10,0	23	26,5	29,5	32	34,5	36,5	38,5	40,5	42,5	44,5	46,5	48	50	52	54	56	58	60,5	63,5	-	-	-	-	-	-
	12,0	24,5	28	31,5	34,5	37	39,5	42	44	46,5	48,5	51	53	55,5	58	61	64,5	69,5	-	-	-	-	-	-	-	
	14,0	26	30	33,5	36,5	39,5	42	45	47,5	50	53	55,5	58,5	62	66,5	-	-	-	-	-	-	-	-	-	-	



(583026833)

ORIGIN Sulphate of Ammonia 21%N + 24%S

No.13



0.98






3.38 mm



1.00 kg/l



ZAM											
											
OM 10-12	10	27 / 46	720	TS 5-9 D 50 C 51	1 TS 5-9 D 45 B 47	25	2	1 TS 5-9 B 45 B 46	30	5	
	12	27 / 46	720	TS 5-9 E 50 C 52	1 TS 5-9 E 45 C 48	25	2	1 TS 5-9 D 45 B 48	30	5	
OM 10-16	10	24 / 48	720	TS 5-9 D 50 C 51	1 TS 5-9 D 45 B 47	25	2	1 TS 5-9 B 45 B 46	30	5	
	12	24 / 48	720	TS 5-9 E 50 C 52	1 TS 5-9 E 45 C 48	25	2	1 TS 5-9 D 45 B 48	30	5	
	15	24 / 48	720	TS 5-9 F 51 F 48	TS 5-9 E 42 C 49	27	3	TS 5-9 D 42 B 49	32	6	
	16	24 / 48	720	TS 5-9 F 51 F 49	TS 5-9 E 42 C 49	27	3	TS 5-9 D 42 B 49	32	6	
OM 18-24	18	20 / 44	720	TS 10-14 D 52 C 49	TS 5-9 F 46 D 50	27	3	TS 5-9 E 46 C 50	32	6	
	20	21 / 44	720	TS 10-14 E 52 D 48	TS 10-14 A 49 A 45	30	4	TS 10-14 A 48 A 44	35	7	
	21	22 / 44	720	TS 10-14 E 53 D 48	TS 10-14 A 50 A 45	30	4	TS 10-14 A 49 A 44	35	7	
	24	24 / 45	870	TS 15-18 E 52 D 40	TS 10-14 C 52 C 46	35	5	TS 10-14 B 52 B 46	40	8	

1. Disc-speed 535 1/min





(583026833)

ORIGIN Sulphate of Ammonia 21%N + 24%S

No.13



0.98

















3.38 mm



1.00 kg/l



ZAM								
					 % 	 % 		
OM 24-36	24	14 / 42	720	TS 15-18 E 52 D 40	TS 10-14 C 52 C 46	35 5	TS 10-14 B 52 B 46	40 8
	27	14 / 46	720	TS 15-18 H 55 E 41	TS 10-14 F 53 F 43	35 5	TS 10-14 E 53 E 43	40 8
	28	14 / 48	720	TS 15-18 H 55 E 41	TS 10-14 F 53 F 43	35 5	TS 10-14 E 53 E 43	40 8
	30	16 / 50	870	TS 4 A 44 B 28	TS 15-18 E 42 B 51	37 6	TS 15-18 D 42 A 51	42 9
	32	17 / 52	870	TS 4 A 53 C 23	TS 15-18 F 42 C 52	37 6	TS 15-18 E 42 B 52	42 9
	33	17 / 53	870	TS 4 A 57 D 21	TS 15-18 H 42 E 53	37 6	TS 15-18 G 42 D 53	42 9
	36	17 / 55	870	TS 4 A 57 D 21	TS 15-18 H 42 E 53	37 6	TS 15-18 G 42 D 53	42 9

1. Disc-speed 535 1/min



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	10,0	13	16	18,5	20	21,5	22,5	23,5	24,5	25,5	26,5	27,5	28,5	29	30	30,5	31,5	32	32,5	33,5	34,5	36	38	40,5	42,5	44,5
	12,0	14,5	17,5	19,5	21,5	23	24	25,5	26,5	27,5	28,5	29,5	30,5	31	32	33	33,5	34,5	35	36	37	38,5	41	44	46,5	49
	14,0	15,5	18,5	21	22,5	24	25,5	27	28	29	30	31	32	33	34	35	35,5	36,5	37,5	38	39,5	41	44	47	50	53
12	10,0	14,5	17,5	19,5	21,5	23	24	25,5	26,5	27,5	28,5	29,5	30,5	31	32	33	33,5	34,5	35	36	37	38,5	41	44	46,5	49
	12,0	16	19	21	23	24,5	26	27	28	29,5	30,5	31,5	32,5	33,5	34,5	35	36	37	38	38,5	40	42	45	48	51	54
	14,0	17	20	22,5	24	26	27,5	28,5	30	31	32,5	33,5	34,5	35,5	36,5	37,5	38,5	39,5	40,5	41	43	45	48,5	52	55,5	60
15	10,0	16	19	21,5	23	24,5	26	27,5	28,5	30	31	32	33	34	35	36	36,5	37,5	38,5	39,5	41	42,5	45,5	49	52	55,5
	12,0	17,5	20,5	23	24,5	26,5	28	29,5	30,5	32	33	34,5	35,5	36,5	37,5	38,5	39,5	40,5	41,5	42,5	44,5	46,5	50	54	58	63,5
	14,0	18,5	22	24	26	28	29,5	31	32,5	34	35	36,5	37,5	39	40	41	42,5	43,5	44,5	45,5	48	50	54,5	60	66,5	-
16	10,0	16,5	19,5	22	23,5	25,5	27	28	29,5	30,5	31,5	33	34	35	36	36,5	37,5	38,5	39,5	40,5	42	44	47	50,5	54	57,5
	12,0	18	21	23,5	25,5	27	28,5	30	31,5	33	34	35	36,5	37,5	38,5	39,5	40,5	42	43	44	46	48	52	56	61	68
	14,0	19	22,5	24,5	27	28,5	30,5	32	33,5	35	36	37,5	39	40	41	42,5	43,5	45	46	47	49,5	52	57	63	-	-
18	10,0	17,5	20,5	23	24,5	26,5	28	29,5	30,5	32	33	34,5	35,5	36,5	37,5	38,5	39,5	40,5	41,5	42,5	44,5	46,5	50	54	58	63,5
	12,0	19	22	24,5	26,5	28	30	31,5	33	34,5	35,5	37	38	39,5	40,5	42	43	44	45	46,5	48,5	51	55,5	61	69,5	-
	14,0	20	23	26	28	30	31,5	33,5	35	36,5	38	39,5	41	42	43,5	45	46	47,5	49	50	53	55,5	62	-	-	-
20	10,0	18,5	21,5	23,5	25,5	27,5	29	30,5	32	33,5	34,5	36	37	38	39,5	40,5	41,5	42,5	43,5	44,5	47	49	53	57,5	63,5	-
	12,0	19,5	23	25,5	27,5	29,5	31	33	34,5	36	37	38,5	40	41	42,5	44	45	46,5	47,5	49	51,5	54	60	68	-	-
	14,0	21	24	27	29	31	33	35	36,5	38	39,5	41	42,5	44	45,5	47	48,5	50	51,5	53	56,5	60	70,5	-	-	-
21	10,0	18,5	22	24	26	28	29,5	31	32,5	34	35	36,5	37,5	39	40	41	42,5	43,5	44,5	45,5	48	50	54,5	60	66,5	-
	12,0	20	23	26	28	30	31,5	33,5	35	36,5	38	39,5	41	42	43,5	45	46	47,5	49	50	53	55,5	62	-	-	-
	14,0	21	24,5	27,5	29,5	31,5	33,5	35,5	37	39	40,5	42	43,5	45,5	47	48,5	50	51,5	53	54,5	58	62	-	-	-	-
24	10,0	19,5	23	25,5	27,5	29,5	31	33	34,5	36	37	38,5	40	41	42,5	44	45	46,5	47,5	49	51,5	54	60	68	-	-
	12,0	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	42	43,5	45	46,5	48	49,5	51	52,5	54	57,5	61	-	-	-	-
	14,0	22,5	26	28,5	31	33,5	35,5	37,5	39,5	41	43	45	46,5	48,5	50	52	53,5	55,5	57,5	60	65	-	-	-	-	-
27	10,0	20,5	24	26,5	28,5	30,5	32,5	34,5	36	37,5	39	40,5	42	43,5	45	46,5	47,5	49	50,5	52	55	58	66,5	-	-	-
	12,0	22	25,5	28	30,5	33	35	37	39	40,5	42,5	44	46	47,5	49	51	52,5	54,5	56,5	58	62,5	69,5	-	-	-	-
	14,0	23	27	30	32,5	35	37	39,5	41,5	43,5	45,5	47,5	49,5	51,5	53,5	55,5	58	60,5	63	66,5	-	-	-	-	-	-
28	10,0	21	24	27	29	31	33	35	36,5	38	39,5	41	42,5	44	45,5	47	48,5	50	51,5	53	56,5	60	70,5	-	-	-
	12,0	22,5	26	28,5	31	33,5	35,5	37,5	39,5	41	43	45	46,5	48,5	50	52	53,5	55,5	57,5	60	65	-	-	-	-	-
	14,0	23,5	27,5	30,5	33	35,5	38	40	42	44	46,5	48,5	50,5	52,5	54,5	57	59,5	62	65,5	70,5	-	-	-	-	-	-
30	10,0	21,5	24,5	27,5	30	32	34	36	37,5	39,5	41	42,5	44	45,5	47,5	49	50,5	52	53,5	55,5	59	63,5	-	-	-	-
	12,0	23	26,5	29,5	32	34,5	36,5	38,5	40,5	42,5	44,5	46,5	48	50	52	54	56	58	60,5	63,5	-	-	-	-	-	-
	14,0	24	28	31	34	36,5	39	41	43,5	45,5	48	50	52,5	54,5	57	60	63	66,5	-	-	-	-	-	-	-	-



Breite \ kg / ha		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
		10,0	22	25,5	28	30,5	33	35	36,5	38,5	40,5	42	44	45,5	47	49	50,5	52,5	54	56	57,5	62	68	-	-	-
32	12,0	23,5	27	30	33	35	37,5	39,5	42	44	46	48	50	52	54	56	58,5	61	64	68	-	-	-	-	-	-
	14,0	24,5	28,5	32	35	37,5	40	42,5	45	47	49,5	52	54,5	57	60	63	67	-	-	-	-	-	-	-	-	-
	10,0	22	25,5	28,5	31	33	35	37	39	41	42,5	44,5	46	48	49,5	51,5	53	55	57	59	64	-	-	-	-	-
33	12,0	23,5	27,5	30,5	33	35,5	38	40	42,5	44,5	46,5	48,5	50,5	53	55	57,5	60	62,5	66	-	-	-	-	-	-	-
	14,0	25	29	32,5	35	38	40,5	43	45,5	48	50,5	53	55,5	58	61	65	71	-	-	-	-	-	-	-	-	-
	10,0	23	26,5	29,5	32	34,5	36,5	38,5	40,5	42,5	44,5	46,5	48	50	52	54	56	58	60,5	63,5	-	-	-	-	-	-
36	12,0	24,5	28	31,5	34,5	37	39,5	42	44	46,5	48,5	51	53	55,5	58	61	64,5	69,5	-	-	-	-	-	-	-	-
	14,0	26	30	33,5	36,5	39,5	42	45	47,5	50	53	55,5	58,5	62	66,5	-	-	-	-	-	-	-	-	-	-	-
	10,0	23	26,5	29,5	32	34,5	36,5	38,5	40,5	42,5	44,5	46,5	48	50	52	54	56	58	60,5	63,5	-	-	-	-	-	-



(583026833)

ORIGIN Sulphate of Ammonia 21%N + 24%S

No.13




0.98

















3.38 mm



1.00 kg/l



ZAM								
								
OM 10-12	10	27 / 46	720	400	1 250	1 25	2 200	2 30
	12	27 / 46	720	400	1 300	1 25	2 250	2 30
OM 10-16	10	24 / 48	720	300	1 250	1 25	2 180	2 30
	12	24 / 48	720	350	1 250	1 25	2 200	2 30
	15	24 / 48	720	400	300	27	250	32
	16	24 / 48	720	450	350	27	275	32
OM 18-24	18	20 / 44	720	400	300	27	250	32
	20	21 / 44	720	500	350	30	275	35
	21	22 / 44	720	500	350	30	300	35
	24	24 / 45	870	500	400	35	350	40
OM 24-36	24	14 / 42	720	400	300	35	275	40
	27	14 / 46	720	500	350	35	300	40
	28	14 / 48	720	500	350	35	300	40
	30	16 / 50	870	550	400	37	350	42
	32	17 / 52	870	600	450	37	375	42
	33	17 / 53	870	630	480	37	400	42
	36	17 / 55	870	650	500	37	450	42

1. Disc-speed: 550 1/min on the field site 2. Disc-speed: 500 1/min on the field site






(583026833)

















ORIGIN Sulphate of Ammonia 21%N + 24%S

No.13



0.96 3.38 mm 1.00 kg/l



ZAMU										
										
OM 15-24	15	12 / 38	720	1,2 8	1,3 12	25	2	1,4 4	30	5
	16	12 / 38	720	1,2 6	1,3 11	25	2	1,5 4	30	5
	18	12 / 40	720	1,2 4	1,6 10	25	2	1,7 4	30	5
	20	14 / 40	720	1 4	1,2 11	30	4	1,8 6	35	7
	21	14 / 41	720	1 3	1,9 12	30	4	1,10 6	35	7
	24	18 / 41	870	1 1	1,11 13	35	5	1,3 6	40	8
	27	20 / 44	870	1 1	1 9	35	5	1,6 6	40	8
	28	20 / 46	870	1 0	1 8	35	5	1,12 6	40	8
OM 24-48	24	12 / 41	720	13 7	1 11	35	5	1,12 12	40	8
	27	13 / 45	720	13 5	1 9	35	5	1,12 11	40	8
	28	13 / 46	720	13 4	1 8	35	5	1,12 10	40	8
	30	15 / 47	720	13 1	13 15	37	6	1,2 10	42	9
	32	16 / 50	870	13 0	13 13	37	6	1,2 9	42	9
	33	17 / 51	870	13 0	13 11	37	6	1,2 8	42	9
	36	19 / 52	870	13 0	13 8	37	6	2,13 12	42	9

1. swivel out 2. Disc-speed 530 1/min 3. Disc-speed 400 1/min 4. Disc-speed 225 1/min 5. Disc-speed 250 1/min 6. Disc-speed 470 1/min 7. Disc-speed 300 1/min 8. Disc-speed 350 1/min 9. Disc-speed 600 1/min 10. Disc-speed 375 1/min 11. Disc-speed 670 1/min 12. Disc-speed 500 1/min 13. swivel in 14. Disc-speed 535 1/min



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
15	10,0	16,5	19,5	21,5	23,5	25	26,5	27,5	29	30	31	32,5	33,5	34,5	35	36	37	38	39	39,5	41,5	43	46,5	49,5	53	56,5
	12,0	17,5	20,5	23	25	26,5	28	29,5	31	32,5	33,5	34,5	36	37	38	39	40	41	42	43	45	47	51	55	59,5	65
	14,0	19	22	24,5	26,5	28	30	31,5	33	34,5	35,5	37	38	39,5	40,5	41,5	43	44	45	46,5	48,5	51	55,5	61	69	-
16	10,0	17	20	22	24	25,5	27	28,5	29,5	31	32	33	34	35	36	37	38	39	40	41	42,5	44,5	48	51	55	59
	12,0	18	21	23,5	25,5	27,5	29	30,5	32	33	34,5	35,5	36,5	38	39	40	41	42	43,5	44,5	46,5	48,5	52,5	57	62,5	71,5
	14,0	19,5	22,5	25	27	29	30,5	32	33,5	35	36,5	38	39	40,5	41,5	43	44	45,5	46,5	48	50	52,5	58	64,5	-	-
18	10,0	17,5	20,5	23	25	26,5	28	29,5	31	32,5	33,5	34,5	36	37	38	39	40	41	42	43	45	47	51	55	59,5	65
	12,0	19	22	24,5	26,5	28,5	30	32	33	34,5	36	37,5	38,5	40	41	42	43,5	44,5	45,5	47	49	51,5	56,5	62,5	-	-
	14,0	20	23,5	26	28	30	32	33,5	35,5	37	38,5	40	41	42,5	44	45,5	46,5	48	49,5	51	53,5	56,5	63,5	-	-	-
20	10,0	18,5	21,5	24	26	27,5	29,5	31	32,5	33,5	35	36	37,5	38,5	39,5	41	42	43	44	45	47,5	49,5	54	59	65	-
	12,0	20	23	25,5	27,5	29,5	31,5	33	34,5	36	37,5	39	40,5	41,5	43	44,5	45,5	47	48	49,5	52	55	61	71,5	-	-
	14,0	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	41,5	43	45	46,5	48	49,5	51	52,5	54	57	61	-	-	-	-
21	10,0	19	22	24,5	26,5	28	30	31,5	33	34,5	35,5	37	38	39,5	40,5	41,5	43	44	45	46,5	48,5	51	55,5	61	69	-
	12,0	20	23,5	26	28	30	32	33,5	35,5	37	38,5	40	41	42,5	44	45,5	46,5	48	49,5	51	53,5	56,5	63,5	-	-	-
	14,0	21,5	25	27,5	30	32	34	36	37,5	39,5	41	42,5	44	46	47,5	49	50,5	52	54	55,5	59	63,5	-	-	-	-
24	10,0	20	23	25,5	27,5	29,5	31,5	33	34,5	36	37,5	39	40,5	41,5	43	44,5	45,5	47	48	49,5	52	55	61	71,5	-	-
	12,0	21	24,5	27,5	29,5	32	33,5	35,5	37,5	39	40,5	42	44	45,5	47	48,5	50	51,5	53	55	58,5	62,5	-	-	-	-
	14,0	22,5	26	29	31,5	33,5	36	38	40	41,5	43,5	45,5	47	49	51	52,5	54,5	56,5	58,5	61	67	-	-	-	-	-
27	10,0	20,5	24	26,5	29	31	33	34,5	36,5	38	39,5	41	42,5	44	45,5	47	48,5	50	51,5	53	56	59,5	69	-	-	-
	12,0	22	25,5	28,5	31	33	35,5	37,5	39	41	43	44,5	46,5	48	50	51,5	53,5	55,5	57	59,5	64	-	-	-	-	-
	14,0	23,5	27	30	33	35,5	37,5	40	42	44	46	48	50	52	54,5	56,5	59	61,5	64,5	69	-	-	-	-	-	-
28	10,0	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	41,5	43	45	46,5	48	49,5	51	52,5	54	57	61	-	-	-	-
	12,0	22,5	26	29	31,5	33,5	36	38	40	41,5	43,5	45,5	47	49	51	52,5	54,5	56,5	58,5	61	67	-	-	-	-	-
	14,0	24	27,5	30,5	33,5	36	38	40,5	42,5	45	47	49	51	53,5	55,5	58	60,5	63,5	67,5	-	-	-	-	-	-	-
30	10,0	21,5	25	27,5	30	32,5	34,5	36	38	39,5	41,5	43	44,5	46,5	48	49,5	51	53	54,5	56,5	60	65	-	-	-	-
	12,0	23	26,5	29,5	32,5	34,5	37	39	41	43	45	47	49	51	53	55	57	59,5	62	65	-	-	-	-	-	-
	14,0	24,5	28	31,5	34,5	37	39,5	41,5	44	46,5	48,5	51	53	55,5	58	61	64,5	69	-	-	-	-	-	-	-	-



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
32	10,0	22	25,5	28,5	31	33	35	37	39	41	42,5	44,5	46	48	49,5	51	53	55	56,5	59	63,5	71,5	-	-	-	-
	12,0	23,5	27,5	30,5	33	35,5	38	40	42	44,5	46,5	48,5	50,5	52,5	55	57	59,5	62,5	66	71,5	-	-	-	-	-	-
	14,0	25	29	32	35	38	40,5	43	45,5	48	50	52,5	55	58	61	64,5	70	-	-	-	-	-	-	-	-	-
33	10,0	22,5	26	28,5	31	33,5	35,5	37,5	39,5	41,5	43	45	46,5	48,5	50,5	52	54	56	58	60	65,5	-	-	-	-	-
	12,0	24	27,5	30,5	33,5	36	38,5	40,5	43	45	47	49	51,5	53,5	56	58,5	61	64	68,5	-	-	-	-	-	-	-
	14,0	25	29	32,5	35,5	38,5	41	43,5	46	48,5	51	53,5	56,5	59	62,5	67	-	-	-	-	-	-	-	-	-	-
36	10,0	23	26,5	29,5	32,5	34,5	37	39	41	43	45	47	49	51	53	55	57	59,5	62	65	-	-	-	-	-	-
	12,0	24,5	28,5	32	34,5	37,5	40	42	44,5	47	49	51,5	54	56,5	59,5	62,5	66,5	-	-	-	-	-	-	-	-	-
	14,0	26	30	33,5	37	40	42,5	45,5	48	51	53,5	56,5	60	63,5	69	-	-	-	-	-	-	-	-	-	-	-



(583026833)

ORIGIN Sulphate of Ammonia 21%N + 24%S

No.13



0.96



















3.38 mm



1.00 kg/l



ZAMU										
										
OM 15-24	15	12 / 38	720	300	250	25	2	180	30	5
	16	12 / 38	720	320	270	25	2	190	30	5
	18	12 / 40	720	370	300	25	2	200	30	5
	20	14 / 40	720	410	330	30	4	225	35	7
	21	14 / 41	720	430	350	30	4	240	35	7
	24	18 / 41	870	500	400	35	5	300	40	8
	27	20 / 44	870	600	480	35	5	350	40	8
	28	20 / 46	870	630	500	35	5	370	40	8
OM 24-48	24	12 / 41	720	300	250	35	5	225	40	8
	27	13 / 45	720	350	300	35	5	240	40	8
	28	13 / 46	720	350	300	35	5	250	40	8
	30	15 / 47	720	400	350	37	6	280	42	9
	32	16 / 50	870	450	400	37	6	300	42	9
	33	17 / 51	870	480	415	37	6	320	42	9
	36	19 / 52	870	500	450	37	6	350	42	9



Breite \ kg / ha		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000																																																		
		15	16	18	20	21	24	27	28	30	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98
15	10,0	16,5	19,5	21,5	23,5	25	26,5	27,5	29	30	31	32,5	33,5	34,5	35	36	37	38	39	39,5	41,5	43	46,5	49,5	53	56,5	17,5	20,5	23	25	26,5	28	29,5	31	32,5	33,5	34,5	36	37	38	39	40	41	42	43	45	47	51	55	59,5	65	19	22	24,5	26,5	28	30	31,5	33	34,5	35,5	37	38	39,5	40,5	41,5	43	44	45	46,5	48,5	51	55,5	61	69	-
	12,0	17,5	20,5	23	25	26,5	28	29,5	31	32,5	33,5	34,5	36	37	38	39	40	41	42	43	45	47	51	55	59,5	65	18	21	23,5	25,5	27,5	29	30,5	32	33	34,5	35,5	36,5	38	39	40	41	42	43,5	44,5	46,5	48,5	52,5	57	62,5	71,5	19,5	22,5	25	27	29	30,5	32	33,5	35	36,5	38	39	40,5	41,5	43	44	45,5	46,5	48	50	52,5	58	64,5	-	-
	14,0	19	22	24,5	26,5	28	30	31,5	33	34,5	35,5	37	38	39,5	40,5	41,5	43	44	45	46,5	48,5	51	55,5	61	69	-	20	23,5	26	28	30	32	33,5	35,5	37	38,5	40	41	42,5	44	45,5	46,5	48	49,5	51	53,5	56,5	63,5	-	-	-	21,5	25	27,5	30	32	34	36	37,5	39,5	41	42,5	44	46	47,5	49	50,5	52	54	55,5	59	63,5	-	-	-	-
16	10,0	17	20	22	24	25,5	27	28,5	29,5	31	32	33	34	35	36	37	38	39	40	41	42,5	44,5	48	51	55	59	18	21	23,5	25,5	27,5	29	30,5	32	33	34,5	35,5	36,5	38	39	40	41	42	43,5	44,5	46,5	48,5	52,5	57	62,5	71,5	19,5	22,5	25	27	29	30,5	32	33,5	35	36,5	38	39	40,5	41,5	43	44	45,5	46,5	48	50	52,5	58	64,5	-	-
	12,0	18	21	23,5	25,5	27,5	29	30,5	32	33	34,5	35,5	36,5	38	39	40	41	42	43,5	44,5	46,5	48,5	52,5	57	62,5	71,5	19	22	24,5	26,5	28,5	30	32	33	34,5	36	37,5	38,5	40	41	42	43,5	44,5	45,5	47	49	51,5	56,5	62,5	-	-	20	23,5	26	28	30	32	33,5	35,5	37	38,5	40	41	42,5	44	45,5	46,5	48	49,5	51	53,5	56,5	63,5	-	-	-
	14,0	19,5	22,5	25	27	29	30,5	32	33,5	35	36,5	38	39	40,5	41,5	43	44	45,5	46,5	48	50	52,5	58	64,5	-	-	20	23,5	26	28	30	32	33,5	35,5	37	38,5	40	41	42,5	44	45,5	46,5	48	49,5	51	53,5	56,5	63,5	-	-	-	21,5	25	27,5	30	32	34	36	37,5	39,5	41	42,5	44	46	47,5	49	50,5	52	54	55,5	59	63,5	-	-	-	-
18	10,0	17,5	20,5	23	25	26,5	28	29,5	31	32,5	33,5	34,5	36	37	38	39	40	41	42	43	45	47	51	55	59,5	65	19	22	24,5	26,5	28,5	30	32	33	34,5	36	37,5	38,5	40	41	42	43,5	44,5	45,5	47	49	51,5	56,5	62,5	-	-	20	23,5	26	28	30	32	33,5	35,5	37	38,5	40	41	42,5	44	45,5	46,5	48	49,5	51	53,5	56,5	63,5	-	-	-
	12,0	19	22	24,5	26,5	28,5	30	32	33	34,5	36	37,5	38,5	40	41	42	43,5	44,5	45,5	47	49	51,5	56,5	62,5	-	-	20	23,5	26	28	30	32	33,5	35,5	37	38,5	40	41	42,5	44	45,5	46,5	48	49,5	51	53,5	56,5	63,5	-	-	-	21,5	25	27,5	30	32	34	36	37,5	39,5	41	42,5	44	46	47,5	49	50,5	52	54	55,5	59	63,5	-	-	-	-
	14,0	20	23,5	26	28	30	32	33,5	35,5	37	38,5	40	41	42,5	44	45,5	46,5	48	49,5	51	53,5	56,5	63,5	-	-	-	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	41,5	43	45	46,5	48	49,5	51	52,5	54	57	61	-	-	-	-	22,5	26	29	31,5	33,5	36	38	40	41,5	43,5	45,5	47	49	51	52,5	54,5	56,5	58,5	61	67	-	-	-	-	-
20	10,0	18,5	21,5	24	26	27,5	29,5	31	32,5	33,5	35	36	37,5	38,5	39,5	41	42	43	44	45	47,5	49,5	54	59	65	-	20	23	25,5	27,5	29,5	31,5	33	34,5	36	37,5	39	40,5	41,5	43	44,5	45,5	47	48	49,5	52	55	61	71,5	-	-	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	41,5	43	45	46,5	48	49,5	51	52,5	54	57	61	-	-	-	-
	12,0	20	23	25,5	27,5	29,5	31,5	33	34,5	36	37,5	39	40,5	41,5	43	44,5	45,5	47	48	49,5	52	55	61	71,5	-	-	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	41,5	43	45	46,5	48	49,5	51	52,5	54	57	61	-	-	-	-	22,5	26	29	31,5	33,5	36	38	40	41,5	43,5	45,5	47	49	51	52,5	54,5	56,5	58,5	61	67	-	-	-	-	-
	14,0	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	41,5	43	45	46,5	48	49,5	51	52,5	54	57	61	-	-	-	-	22	25,5	28,5	31	33	35,5	37,5	39	41	43	44,5	46,5	48	50	51,5	53,5	55,5	57	59,5	64	-	-	-	-	-	23,5	27	30	33	35,5	37,5	40	42	44	46	48	50	52	54,5	56,5	59	61,5	64,5	69	-	-	-	-	-	-
21	10,0	19	22	24,5	26,5	28	30	31,5	33	34,5	35,5	37	38	39,5	40,5	41,5	43	44	45	46,5	48,5	51	55,5	61	69	-	20	23,5	26	28	30	32	33,5	35,5	37	38,5	40	41	42,5	44	45,5	46,5	48	49,5	51	53,5	56,5	63,5	-	-	-	21,5	25	27,5	30	32	34	36	37,5	39,5	41	42,5	44	46	47,5	49	50,5	52	54	55,5	59	63,5	-	-	-	-
	12,0	20	23,5	26	28	30	32	33,5	35,5	37	38,5	40	41	42,5	44	45,5	46,5	48	49,5	51	53,5	56,5	63,5	-	-	-	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	41,5	43	45	46,5	48	49,5	51	52,5	54	57	61	-	-	-	-	22,5	26	29	31,5	33,5	36	38	40	41,5	43,5	45,5	47	49	51	52,5	54,5	56,5	58,5	61	67	-	-	-	-	-
	14,0	21,5	25	27,5	30	32	34	36	37,5	39,5	41	42,5	44	46	47,5	49	50,5	52	54	55,5	59	63,5	-	-	-	-	22	25,5	28,5	31	33	35,5	37,5	39	41	43	44,5	46,5	48	50	51,5	53,5	55,5	57	59,5	64	-	-	-	-	-	23,5	27	30	33	35,5	37,5	40	42	44	46	48	50	52	54,5	56,5	59	61,5	64,5	69	-	-	-	-	-	-
24	10,0	20	23	25,5	27,5	29,5	31,5	33	34,5	36	37,5	39	40,5	41,5	43	44,5	45,5	47	48	49,5	52	55	61	71,5	-	-	21	24,5	27,5	29,5	32	33,5	35,5	37,5	39	40,5	42	44	45,5	47	48,5	50	51,5	53	55	58,5	62,5	-	-	-	-	22,5	26	29	31,5	33,5	36	38	40	41,5	43,5	45,5	47	49	51	52,5	54,5	56,5	58,5	61	67	-	-	-	-	-
	12,0	21	24,5	27,5	29,5	32	33,5	35,5	37,5	39	40,5	42	44	45,5	47	48,5	50	51,5	53	55	58,5	62,5	-	-	-	-	22	25,5	28,5	31	33	35,5	37,5	39	41	43	44,5	46,5	48	50	51,5	53,5	55,5	57	59,5	64	-	-	-	-	-	23,5	27	30	33	35,5	37,5	40	42	44	46	48	50	52	54,5	56,5	59	61,5	64,5	69	-	-	-	-	-	-
	14,0	22,5	26	29	31,5	33,5	36	38	40	41,5	43,5	45,5	47	49	51	52,5	54,5	56,5	58,5	61	67	-	-	-	-	23	26,5	29,5	32,5	34,5	37	39	41	43	45	47	49	51	53	55	57	59,5	62	65	-	-	-	-	-	-	24,5	28	31,5	34,5	37	39,5	41,5	44	46,5	48,5	51	53	55,5	58	61	64,5	69	-	-	-	-	-	-	-	-	
27	10,0	20,5	24	26,5	29	31	33	34,5	36,5	38	39,5	41	42,5	44	45,5	47	48,5	50	51,5	53	56	59,5	69	-	-	-	22	25,5	28,5	31	33	35,5	37,5	39	41	43	44,5	46,5	48	50	51,5	53,5	55,5	57	59,5	64	-	-	-	-	-	23,5	27	30	33	35,5	37,5	40	42	44	46	48	50	52	54,5	56,5	59	61,5	64,5	69	-	-	-	-	-	-
	12,0	22	25,5	28,5	31	33	35,5	37,5	39	41	43	44,5	46,5	48	50	51,5	53,5	55,5	57	59,5	64	-	-	-	-	23	26,5	29,5	32,5	34,5	37	39	41	43	45	4																																								



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
32	10,0	22	25,5	28,5	31	33	35	37	39	41	42,5	44,5	46	48	49,5	51	53	55	56,5	59	63,5	71,5	-	-	-	-
	12,0	23,5	27,5	30,5	33	35,5	38	40	42	44,5	46,5	48,5	50,5	52,5	55	57	59,5	62,5	66	71,5	-	-	-	-	-	-
	14,0	25	29	32	35	38	40,5	43	45,5	48	50	52,5	55	58	61	64,5	70	-	-	-	-	-	-	-	-	-
33	10,0	22,5	26	28,5	31	33,5	35,5	37,5	39,5	41,5	43	45	46,5	48,5	50,5	52	54	56	58	60	65,5	-	-	-	-	-
	12,0	24	27,5	30,5	33,5	36	38,5	40,5	43	45	47	49	51,5	53,5	56	58,5	61	64	68,5	-	-	-	-	-	-	-
	14,0	25	29	32,5	35,5	38,5	41	43,5	46	48,5	51	53,5	56,5	59	62,5	67	-	-	-	-	-	-	-	-	-	-
36	10,0	23	26,5	29,5	32,5	34,5	37	39	41	43	45	47	49	51	53	55	57	59,5	62	65	-	-	-	-	-	-
	12,0	24,5	28,5	32	34,5	37,5	40	42	44,5	47	49	51,5	54	56,5	59,5	62,5	66,5	-	-	-	-	-	-	-	-	-
	14,0	26	30	33,5	37	40	42,5	45,5	48	51	53,5	56,5	60	63,5	69	-	-	-	-	-	-	-	-	-	-	-



(583026833)


ORIGIN Sulphate of Ammonia 21%N + 24%S



















No.13





1.09 3.38 mm 1.00 kg/l 12.9



ZATS															
															
TS 1	15	34	600	A	1	720	1	28	600	1	38	500	16	0	220
	16	37	600	A	1	720	1	27	600	1	37	500	16	1	250
	18	37	720	A	1	800	1	23	720	1	33	600	19	0	230
	20	37	900	A	1	800	1	23	800	1	33	720	22	-2	210
	21	39	900	A	1	800	1	23	800	1	33	720	22	-1	220
	24	44	900	A	1	800	1	21	800	1	31	720	23	2	280
TS 2	21	10	600	D	X	500	1	27	600	1	37	500	21	1	250
	24	12	720	D	X	600	1	27	720	1	37	600	23	1	240
	27	13	900	D	X	720	1	26	800	1	36	720	27	0	210
	28	15	900	D	X	720	1	25	800	1	35	720	27	1	230
	30	18	900	D	X	800	1	25	900	1	35	800	28	2	260
TS 3	24	8	600	C	3	720	3	24	600	3	34	500	24	0	250
	27	9	800	C	3	900	3	24	800	3	34	720	28	-1	210
	28	11	800	C	3	900	3	24	800	3	34	720	29	-0	220
	30	12	900	C	3	900	3	22	800	3	32	720	30	0	220
	32	15	900	D	X	720	1	22	800	1	32	720	31	1	250
	33	16	900	D	X	800	1	23	900	1	33	800	31	2	260
	36	21	900	D	X	800	1	22	900	1	32	800	31	4	310





(583026833)


ORIGIN Sulphate of Ammonia 21%N + 24%S













No.13





1.09 3.38 mm 1.00 kg/l 12.9



ZATS															
TS 10	15	34	600	A	1	720	1	28	600	1	38	500	16	0	220
	16	37	600	A	1	720	1	27	600	1	37	500	16	1	250
	18	37	720	A	1	800	1	23	720	1	33	600	19	0	230
	20	37	900	A	1	800	1	23	800	1	33	720	22	-2	210
	21	39	900	A	1	800	1	23	800	1	33	720	22	-1	220
	24	44	900	A	1	800	1	21	800	1	31	720	23	2	280
TS 20	18	18	600	B	3	720	3	29	600	3	39	500	19	0	200
	20	23	600	D	X	500	1	28	600	1	38	500	19	2	250
	21	23	720	B	3	800	3	28	720	3	38	600	22	0	210
	24	25	900	B	3	900	3	28	800	3	38	720	25	-1	210
	27	31	900	D	X	720	1	26	800	1	36	720	26	1	260
	28	33	900	D	X	800	1	26	900	1	36	800	26	2	280
	30	36	900	D	X	800	1	25	900	1	35	800	26	4	320
TS 30	24	8	600	C	3	720	3	24	600	3	34	500	24	0	250
	27	9	800	C	3	900	3	24	800	3	34	720	28	-1	210
	28	11	800	C	3	900	3	24	800	3	34	720	29	-0	220
	30	12	900	C	3	900	3	22	800	3	32	720	30	0	220
	32	15	900	D	X	720	1	22	800	1	32	720	31	1	250
	33	16	900	D	X	800	1	23	900	1	33	800	31	2	260
	36	21	900	D	X	800	1	22	900	1	32	800	31	4	310





(583026833)











ORIGIN Sulphate of Ammonia 21%N + 24%S

No.13



1.05 3.38 mm 1.00 kg/l



ZAV										
V-Set 1	10	14 / 44	720	300	1 250	1 25	2 180	2 60	12	-2
	12	14 / 44	720	350	1 250	1 25	2 200	2 60	19	-5
	15	14 / 48	720	400	300	25	250	60	18	-4
	16	14 / 48	720	450	350	25	275	60	19	-3
	18	17 / 46	900	500	400	25	300	60	20	-3
	20	17 / 47	900	550	450	25	325	60	21	-1
	21	18 / 47	900	550	450	25	325	60	20	0
V-Set 2	18	13 / 40	720	400	300	25	250	60	20	-3
	20	15 / 40	720	500	350	25	275	60	21	-2
	21	15 / 40	720	500	350	25	275	60	21	0
	24	15 / 43	720	500	400	25	300	60	23	0
	27	15 / 46	720	550	450	25	350	60	25	0
	28	15 / 47	720	550	450	25	350	60	25	1
V-Set 3	24	10 / 42	720	400	300	25	275	60	27	-3
	27	10 / 44	720	500	350	25	300	60	27	-1
	28	10 / 44	720	500	350	25	300	60	28	0
	30	10 / 48	720	550	400	25	350	60	28	0
	32	10 / 49	720	600	450	25	375	60	29	2
	33	10 / 50	720	600	475	25	400	60	28	3
	36	10 / 50	900	650	500	25	450	60	30	5

1. Disc-speed: 550 1/min on the field site 2. Disc-speed: 500 1/min on the field site





(583026833)

ORIGIN Sulphate of Ammonia 21%N + 24%S

No.13



1.05












3.38 mm



1.00 kg/l



ZAV														
	m							%						
V-Set 1	10	14 / 44	720	B	70	100	25	3	100	60	8	500	12	-2
	12	14 / 44	720	B	70	100	25	4	100	60	8	500	19	-5
	15	14 / 48	720	C	70	100	25	4	100	60	9	500	18	-4
	16	14 / 48	720	C	70	100	25	4	100	60	9	500	19	-3
	18	17 / 46	900	D	70	100	25	5	100	60	9	680	20	-3
	20	17 / 47	900	E	70	100	25	5	100	60	10	680	21	-1
	21	18 / 47	900	E	70	100	25	5	100	60	10	680	20	0
V-Set 2	18	13 / 40	720	E	60	90	25	5	90	60	9	500	20	-3
	20	15 / 40	720	F	60	90	25	5	90	60	10	500	21	-2
	21	15 / 40	720	F	60	90	25	5	90	60	10	500	21	0
	24	15 / 43	720	G	60	90	25	5	90	60	10	500	23	0
	27	15 / 46	720	H	60	90	25	5	90	60	11	500	25	0
	28	15 / 47	720	H	60	90	25	5	90	60	12	500	25	1
V-Set 3	24	10 / 42	720	F	50	80	25	5	80	60	11	500	27	-3
	27	10 / 44	720	F	50	80	25	5	80	60	12	500	27	-1
	28	10 / 44	720	F	50	80	25	5	80	60	12	500	28	0
	30	10 / 48	720	G	50	80	25	5	80	60	13	500	28	0
	32	10 / 49	720	G	50	80	25	5	80	60	13	500	29	2
	33	10 / 50	720	G	50	80	25	5	80	60	13	500	28	3
	36	10 / 50	900	H	50	80	25	5	80	60	14	680	30	5



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	10,0	12,5	14,5	16	18	19,5	21	22	23,5	24,5	25	26	27	28	28,5	29,5	30	31	31,5	32,5	34	35,5	37,5	40	42	44
	12,0	13,5	15,5	17,5	19,5	21	22,5	24	25	26	27,5	28	29	30	31	31,5	32,5	33,5	34,5	35,5	37	38	40,5	43	45	46,5
	14,0	14	16,5	19	21	22,5	24	25,5	27	28	29	30	31	32	33	34	35,5	36	37	37,5	39	40,5	43,5	45,5	47	49
12	10,0	13,5	15,5	17,5	19,5	21	22,5	24	25	26	27,5	28	29	30	31	31,5	32,5	33,5	34,5	35,5	37	38	40,5	43	45	46,5
	12,0	14,5	16,5	19	21	23	24,5	26	27	28	29,5	30,5	31,5	32,5	33,5	34,5	35,5	36,5	37,5	38	39,5	41	44	46	47,5	49,5
	14,0	15	18	20,5	22,5	24,5	26	27,5	29	30	31	32,5	33,5	35	36	37	38	39	40	40,5	42,5	44	46,5	48	50	52
15	10,0	14,5	17	19,5	21,5	23,5	24,5	26	27,5	28,5	30	31	32	33	34	35,5	36	37	38	39	40,5	42	44,5	46,5	48,5	50
	12,0	15,5	18,5	21	23,5	25	27	28	29,5	31	32	33,5	35	36	37	38	39	40	41	42	43,5	45	47	49,5	51,5	53,5
	14,0	16,5	20	22,5	24,5	27	28,5	30	31,5	33	35	36	37,5	38,5	39,5	40,5	41,5	43	43,5	44,5	46	47	49,5	52	54,5	57
16	10,0	15	17,5	20	22	24	25,5	27	28	29,5	30,5	31,5	33	34	35,5	36,5	37	38	39	40	41,5	43	45,5	47,5	49,5	51
	12,0	16	19	21,5	24	26	27,5	29	30,5	31,5	33	34,5	36	37	38	39	40	41	42	43	44,5	46	48	50,5	52,5	55
	14,0	17	20,5	23,5	25,5	27,5	29	31	32,5	34	35,5	37	38,5	39,5	40,5	41,5	43	44	44,5	45,5	47	48	51	53,5	56	58
18	10,0	15,5	18,5	21	23,5	25	27	28	29,5	31	32	33,5	35	36	37	38	39	40	41	42	43,5	45	47	49,5	51,5	53,5
	12,0	16,5	20	23	25	27	29	30,5	32	33,5	35	36,5	37,5	39	40	41	42	43,5	44	45	46,5	47,5	50	52,5	55	57,5
	14,0	18	21,5	24,5	27	29	30,5	32,5	34,5	36	37,5	39	40,5	41,5	43	44	45	45,5	46,5	47	48,5	50	53	56	58,5	-
20	10,0	16	19,5	22	24,5	26	28	29,5	31	32,5	34	35,5	36,5	37,5	39	40	41	42	43	44	45	46,5	49	51	53,5	55,5
	12,0	17,5	21	24	26	28	30	31,5	33,5	35,5	37	38	39,5	40,5	42	43	44	45	46	46,5	48	49,5	52	55	57,5	59,5
	14,0	19	22,5	25,5	28	30	32	34	36	37,5	39	40,5	42	43,5	44,5	45,5	46,5	47	48	49	50,5	52	55	58	-	-
21	10,0	16,5	20	22,5	24,5	27	28,5	30	31,5	33	35	36	37,5	38,5	39,5	40,5	41,5	43	43,5	44,5	46	47	49,5	52	54,5	57
	12,0	18	21,5	24,5	27	29	30,5	32,5	34,5	36	37,5	39	40,5	41,5	43	44	45	45,5	46,5	47	48,5	50	53	56	58,5	-
	14,0	19,5	23	26	28,5	30,5	33	35	37	38,5	40	41,5	43	44	45,5	46,5	47	48	49	49,5	51,5	53	56,5	59	-	-
24	10,0	17,5	21	24	26	28	30	31,5	33,5	35,5	37	38	39,5	40,5	42	43	44	45	46	46,5	48	49,5	52	55	57,5	59,5
	12,0	19	23	26	28	30,5	32,5	34,5	36,5	38	39,5	41	42,5	44	45	46	47	47,5	48,5	49,5	51	52,5	56	59	-	-
	14,0	20,5	24,5	27,5	30	32,5	35	37	39	40,5	42,5	44	45	46,5	47	48	49	50	51	52	54	56	59	-	-	-
27	10,0	18,5	22	25	27,5	29,5	31,5	33,5	35,5	37	38,5	40	41,5	43	44	45	46	46,5	47,5	48,5	50	51,5	54,5	57,5	60	-
	12,0	20	24	27	29,5	32	34,5	36,5	38,5	40	41,5	43,5	44,5	45,5	46,5	47,5	48,5	49,5	50,5	51,5	53	55	58,5	-	-	-
	14,0	21,5	25,5	29	31,5	34,5	37	39	41	43	44,5	45,5	47	48	49	50	51	52,5	53,5	54,5	56,5	58,5	-	-	-	-
28	10,0	19	22,5	25,5	28	30	32	34	36	37,5	39	40,5	42	43,5	44,5	45,5	46,5	47	48	49	50,5	52	55	58	-	-
	12,0	20,5	24,5	27,5	30	32,5	35	37	39	40,5	42,5	44	45	46,5	47	48	49	50	51	52	54	56	59	-	-	-
	14,0	22	26	29	32	35	37,5	39,5	41,5	43,5	45	46,5	47,5	48,5	49,5	51	52	53	54	55	57,5	59	-	-	-	-
30	10,0	19,5	23,5	26	28,5	31	33	35,5	37	39	40,5	42	43,5	44,5	45,5	46,5	47,5	48,5	49	50	51,5	53,5	57	59,5	-	-
	12,0	21	25	28	31	33,5	36	38	40	42	43,5	45	46	47	48,5	49,5	50,5	51,5	52,5	53,5	55,5	57,5	-	-	-	-
	14,0	22,5	27	30	33	36	38,5	40,5	43	44,5	46	47	48,5	49,5	51	52	53	54,5	55,5	57	59	-	-	-	-	-



Breite \ kg / ha		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
		10,0	12,0	14,0																						
32	10,0	20	24	27	29,5	31,5	34	36,5	38	40	41,5	43	44,5	45,5	46,5	47,5	48,5	49,5	50	51	53	55	58	-	-	-
	12,0	21,5	26	29	31,5	34,5	37	39	41	43	44,5	46	47	48	49,5	50,5	51,5	52,5	53,5	55	57	59	-	-	-	-
	14,0	23,5	27,5	31	34	37	39,5	41,5	44	45,5	47	48	49,5	51	52	53,5	54,5	56	57	58	-	-	-	-	-	-
33	10,0	20,5	24	27,5	30	32	35	37	38,5	40,5	42	43,5	45	46	47	48	49	50	51	51,5	53,5	55,5	59	-	-	-
	12,0	22	26	29,5	32	35	37,5	39,5	41,5	43,5	45	46,5	47,5	48,5	50	51	52	53	54,5	55,5	57,5	59,5	-	-	-	-
	14,0	23,5	28	31	35	37,5	40	42,5	44,5	46	47,5	48,5	50	51,5	52,5	54	55	56,5	57,5	59	-	-	-	-	-	-
36	10,0	21	25	28	31	33,5	36	38	40	42	43,5	45	46	47	48,5	49,5	50,5	51,5	52,5	53,5	55,5	57,5	-	-	-	-
	12,0	23	27	30,5	33,5	36,5	39	41	43,5	45	46,5	47,5	49	50	51,5	52,5	54	55	56	57,5	59,5	-	-	-	-	-
	14,0	24,5	29	32,5	36	39	41,5	44	45,5	47	48,5	50	51,5	53	54,5	56	57	58,5	59,5	-	-	-	-	-	-	-




(583026833)










ORIGIN Sulphate of Ammonia 21%N + 24%S

No.13



3.38 mm 1.00 kg/l



ZAX						
						
Omnia-Set X Perfect	10	8 / 37	720	9	15	1 15
	12	9 / 38	720	7	13	15
	15	10 / 40	720	5	11	13
	16	10 / 41	720	3	10	12
	18	10 / 42	720	1	8	11

1. Disc-speed 600 1/min





Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	10,0	8,5	9	9,5	10	10,5	11	11,5	12	12,5	13	13,5	14	14,5	15	15,5	16	16,5	17	18	19	21	23	25,5	28	
	12,0	8,5	9,5	10	10,5	11	12	12,5	13	13,5	14	14,5	15	15,5	16	16,5	17	18	18,5	19	20	21,5	24	27	-	-
	14,0	9	10	10,5	11	12	12,5	13	13,5	14,5	15	15,5	16	17	17,5	18	19	19,5	20,5	21	22,5	24	27,5	-	-	-
12	10,0	8,5	9,5	10	10,5	11	12	12,5	13	13,5	14	14,5	15	15,5	16	16,5	17	18	18,5	19	20	21,5	24	27	-	-
	12,0	9	10	10,5	11	12	12,5	13	14	14,5	15	16	16,5	17	18	18,5	19	20	20,5	21,5	23	25	28,5	-	-	-
	14,0	9,5	10	11	12	12,5	13,5	14	15	15,5	16,5	17	18	18,5	19,5	20,5	21,5	22	23	24	26	28,5	-	-	-	-
15	10,0	9	10	10,5	11,5	12	12,5	13,5	14	15	15,5	16	17	17,5	18	19	19,5	20,5	21,5	22	24	25,5	29,5	-	-	-
	12,0	9,5	10,5	11	12	13	13,5	14,5	15,5	16	17	18	18,5	19,5	20,5	21,5	22,5	23,5	24,5	25,5	28	-	-	-	-	-
	14,0	10	11	12	12,5	13,5	14,5	15,5	16,5	17,5	18,5	19,5	20,5	22	23	24	25,5	27	28	29,5	-	-	-	-	-	-
16	10,0	9,5	10	11	11,5	12,5	13	14	14,5	15	16	16,5	17,5	18	19	20	20,5	21,5	22,5	23	25	27	-	-	-	-
	12,0	9,5	10,5	11,5	12,5	13	14	15	16	16,5	17,5	18,5	19,5	20,5	21,5	22,5	23,5	25	26	27	29,5	-	-	-	-	-
	14,0	10	11	12	13	14	15	16	17	18	19,5	20,5	21,5	23	24	25,5	27	28,5	29,5	-	-	-	-	-	-	-
18	10,0	9,5	10,5	11	12	13	13,5	14,5	15,5	16	17	18	18,5	19,5	20,5	21,5	22,5	23,5	24,5	25,5	28	-	-	-	-	-
	12,0	10	11	12	13	14	15	16	17	18	19	20	21	22	23,5	25	26	27,5	29	-	-	-	-	-	-	-
	14,0	10	11,5	12,5	13,5	15	16	17	18,5	19,5	21	22	23,5	25	27	28,5	30	-	-	-	-	-	-	-	-	-



(583026833)













ORIGIN Sulphate of Ammonia 21%N + 24%S

No.13



3.38 mm 1.00 kg/l



ZAX									
									
Omnia-Set X Perfect	10	8 / 37	720	Tele-Quick B50	1Tele-Quick B50	2	1Tele-Quick A49	3	
	12	9 / 38	720	Tele-Quick D50	1Tele-Quick D50	2	1Tele-Quick B49	3	
	15	10 / 40	720	Tele-Quick E50	2Tele-Quick E50	2	1Tele-Quick D50	3	
	16	10 / 41	720	Tele-Quick E50	2Tele-Quick E50	2	1Tele-Quick D50	3	
	18	10 / 42	720	Tele-Quick F50	3Tele-Quick F50	2	2Tele-Quick E50	3	

1. Disc-speed 535 1/min 2. Disc-speed 600 1/min 3. Disc-speed 670 1/min





Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	10,0	8,5	9	9,5	10	10,5	11	11,5	12	12,5	13	13,5	14	14,5	15	15,5	16	16,5	17	18	19	21	23	25,5	28	
	12,0	8,5	9,5	10	10,5	11	12	12,5	13	13,5	14	14,5	15	15,5	16	16,5	17	18	18,5	19	20	21,5	24	27	-	-
	14,0	9	10	10,5	11	12	12,5	13	13,5	14,5	15	15,5	16	17	17,5	18	19	19,5	20,5	21	22,5	24	27,5	-	-	-
12	10,0	8,5	9,5	10	10,5	11	12	12,5	13	13,5	14	14,5	15	15,5	16	16,5	17	18	18,5	19	20	21,5	24	27	-	-
	12,0	9	10	10,5	11	12	12,5	13	14	14,5	15	16	16,5	17	18	18,5	19	20	20,5	21,5	23	25	28,5	-	-	-
	14,0	9,5	10	11	12	12,5	13,5	14	15	15,5	16,5	17	18	18,5	19,5	20,5	21,5	22	23	24	26	28,5	-	-	-	-
15	10,0	9	10	10,5	11,5	12	12,5	13,5	14	15	15,5	16	17	17,5	18	19	19,5	20,5	21,5	22	24	25,5	29,5	-	-	-
	12,0	9,5	10,5	11	12	13	13,5	14,5	15,5	16	17	18	18,5	19,5	20,5	21,5	22,5	23,5	24,5	25,5	28	-	-	-	-	-
	14,0	10	11	12	12,5	13,5	14,5	15,5	16,5	17,5	18,5	19,5	20,5	22	23	24	25,5	27	28	29,5	-	-	-	-	-	-
16	10,0	9,5	10	11	11,5	12,5	13	14	14,5	15	16	16,5	17,5	18	19	20	20,5	21,5	22,5	23	25	27	-	-	-	-
	12,0	9,5	10,5	11,5	12,5	13	14	15	16	16,5	17,5	18,5	19,5	20,5	21,5	22,5	23,5	25	26	27	29,5	-	-	-	-	-
	14,0	10	11	12	13	14	15	16	17	18	19,5	20,5	21,5	23	24	25,5	27	28,5	29,5	-	-	-	-	-	-	-
18	10,0	9,5	10,5	11	12	13	13,5	14,5	15,5	16	17	18	18,5	19,5	20,5	21,5	22,5	23,5	24,5	25,5	28	-	-	-	-	-
	12,0	10	11	12	13	14	15	16	17	18	19	20	21	22	23,5	25	26	27,5	29	-	-	-	-	-	-	-
	14,0	10	11,5	12,5	13,5	15	16	17	18,5	19,5	21	22	23,5	25	27	28,5	30	-	-	-	-	-	-	-	-	-













(583026833)

ORIGIN Sulphate of Ammonia 21%N + 24%S

No.13



1.00 3.38 mm 1.00 kg/l

ZGB									
									
OM 10-12	10	27 / 46	720	A12	A15	-	1	A15	-
	12	27 / 46	720	A10	A13	-	2	A13	-
OM 10-16	10	24 / 48	720	A12	A15	-	1	A15	-
	12	24 / 48	720	A10	A13	-	2	A13	-
	15	24 / 48	720	A8	A12	-		A15	-
	16	24 / 48	720	A7	A10	-		A14	-
OM 18-24	18	20 / 44	720	A8	A13	-		A15	-
	20	21 / 44	720	A6	A12	-		A14	-
	21	22 / 44	720	A4	A11	-		A14	-
	24	24 / 45	870	B2	B10	-		B12	-
OM 24-36	24	14 / 42	720	B2	B11	-		B12	-
	27	14 / 46	720	B1	B10	-		B12	-
	28	14 / 48	720	B0	B9	-		B12	-
	30	16 / 50	870	B0	B8	-		B11	-
	32	17 / 52	870	B0	B7	-		B10	-
	33	17 / 53	870	B0	B5	-		B8	-
	36	17 / 55	870	B0	B5	-		B8	-

1. Disc-speed 535 1/min 2. Disc-speed 600 1/min





Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	km / h 12,0	-	-	-	-	5	5,5	6,5	7,5	8	9	9,5	10,5	11,5	12	13	13,5	14,5	15,5	16	18	19,5	22,5	26	29	32,5
12	km / h 12,0	-	-	-	5	6	7	8	8,5	9,5	10,5	11,5	12,5	13,5	14,5	15,5	16,5	17,5	18,5	19,5	21,5	23,5	27	31	35	39
15	km / h 12,0	-	-	5	6	7,5	8,5	9,5	11	12	13,5	14,5	15,5	17	18	19,5	20,5	22	23	24	26,5	29	34	39	43,5	48,5
16	km / h 12,0	-	-	5	6,5	8	9	10,5	11,5	13	14	15,5	17	18	19,5	20,5	22	23,5	24,5	26	28,5	31	36	41,5	46,5	51,5
18	km / h 12,0	-	-	6	7,5	8,5	10	11,5	13	14,5	16	17,5	19	20,5	22	23,5	24,5	26	27,5	29	32	35	40,5	46,5	52,5	58
20	km / h 12,0	-	5	6,5	8	9,5	11,5	13	14,5	16	18	19,5	21	22,5	24	26	27,5	29	30,5	32,5	35,5	39	45	51,5	58	-
21	km / h 12,0	-	5	7	8,5	10	12	13,5	15,5	17	18,5	20,5	22	23,5	25,5	27	29	30,5	32	34	37,5	40,5	47,5	54,5	-	-
24	km / h 12,0	-	6	8	9,5	11,5	13,5	15,5	17,5	19,5	21,5	23,5	25	27	29	31	33	35	37	39	42,5	46,5	54,5	-	-	-
27	km / h 12,0	-	6,5	8,5	11	13	15,5	17,5	19,5	22	24	26	28,5	30,5	32,5	35	37	39	41,5	43,5	48	52,5	-	-	-	-
28	km / h 12,0	-	7	9	11,5	13,5	16	18	20,5	22,5	25	27	29,5	31,5	34	36	38,5	40,5	43	45	49,5	54,5	-	-	-	-



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
30	km / h 12,0	5	7,5	9,5	12	14,5	17	19,5	22	24	26,5	29	31,5	34	36,5	39	41	43,5	46	48,5	53,5	58	-	-	-	-
32	km / h 12,0	5	8	10,5	13	15,5	18	20,5	23,5	26	28,5	31	33,5	36	39	41,5	44	46,5	49	51,5	57	-	-	-	-	
33	km / h 12,0	5,5	8	10,5	13,5	16	18,5	21,5	24	26,5	29,5	32	34,5	37,5	40	42,5	45,5	48	50,5	53,5	58,5	-	-	-	-	
36	km / h 12,0	6	8,5	11,5	14,5	17,5	20,5	23,5	26	29	32	35	38	40,5	43,5	46,5	49,5	52,5	55	58	-	-	-	-		



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	24
16	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20,5	23,5	26
18	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20,5	23,5	26	29
20	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22,5	26	29	32,5
21	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20,5	23,5	27	30,5	34
24	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21,5	23,5	27	31	35	39
27	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20,5	22	24	26	30,5	35	39	43,5	
28	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20,5	21,5	22,5	25	27	31,5	36	40,5	45	



Breite \ kg / ha		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000	
30	km / h	12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20,5	22	23	24	26,5	29	34	39	43,5	48,5
	km / h	12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20,5	22	23,5	24,5	26	28,5	31	36	41,5	46,5
33	km / h	12,0	-	-	-	-	-	-	-	-	-	-	-	-	20	21,5	22,5	24	25,5	26,5	29,5	32	37,5	42,5	48	53,5	
	km / h	12,0	-	-	-	-	-	-	-	-	-	-	-	20,5	22	23,5	24,5	26	27,5	29	32	35	40,5	46,5	52,5	58	



(583026833)

ORIGIN Sulphate of Ammonia 21%N + 24%S

No.13



1.09


















3.38 mm



1.00 kg/l



12.9

ZGTS															
TS 1	15	34	600	A	1	720	1	28	600	1	38	500	16	0	220
	16	37	600	A	1	720	1	27	600	1	37	500	16	1	250
	18	37	720	A	1	800	1	23	720	1	33	600	19	0	230
	20	37	900	A	1	800	1	23	800	1	33	720	22	-2	210
	21	39	900	A	1	800	1	23	800	1	33	720	22	-1	220
	24	44	900	A	1	800	1	21	800	1	31	720	23	2	280
TS 2	21	10	600	D	X	500	1	27	600	1	37	500	21	1	250
	24	12	720	D	X	600	1	27	720	1	37	600	23	1	240
	27	13	900	D	X	720	1	26	800	1	36	720	27	0	210
	28	15	900	D	X	720	1	25	800	1	35	720	27	1	230
	30	18	900	D	X	800	1	25	900	1	35	800	28	2	260
TS 3	24	8	600	C	3	720	3	24	600	3	34	500	24	0	250
	27	9	800	C	3	900	3	24	800	3	34	720	28	-1	210
	28	11	800	C	3	900	3	24	800	3	34	720	29	-0	220
	30	12	900	C	3	900	3	22	800	3	32	720	30	0	220
	32	15	900	D	X	720	1	22	800	1	32	720	31	1	250
	33	16	900	D	X	800	1	23	900	1	33	800	31	2	260
	36	21	900	D	X	800	1	22	900	1	32	800	31	4	310





(583026833)

ORIGIN Sulphate of Ammonia 21%N + 24%S

No.13



1.09













3.38 mm



1.00 kg/l



12.9

ZGTS															
TS 10	15	34	600	A	1	720	1	28	600	1	38	500	16	0	220
	16	37	600	A	1	720	1	27	600	1	37	500	16	1	250
	18	37	720	A	1	800	1	23	720	1	33	600	19	0	230
	20	37	900	A	1	800	1	23	800	1	33	720	22	-2	210
	21	39	900	A	1	800	1	23	800	1	33	720	22	-1	220
	24	44	900	A	1	800	1	21	800	1	31	720	23	2	280
TS 20	18	18	600	B	3	720	3	29	600	3	39	500	19	0	200
	20	23	600	D	X	500	1	28	600	1	38	500	19	2	250
	21	23	720	B	3	800	3	28	720	3	38	600	22	0	210
	24	25	900	B	3	900	3	28	800	3	38	720	25	-1	210
	27	31	900	D	X	720	1	26	800	1	36	720	26	1	260
	28	33	900	D	X	800	1	26	900	1	36	800	26	2	280
	30	36	900	D	X	800	1	25	900	1	35	800	26	4	320
TS 30	24	8	600	C	3	720	3	24	600	3	34	500	24	0	250
	27	9	800	C	3	900	3	24	800	3	34	720	28	-1	210
	28	11	800	C	3	900	3	24	800	3	34	720	29	-0	220
	30	12	900	C	3	900	3	22	800	3	32	720	30	0	220
	32	15	900	D	X	720	1	22	800	1	32	720	31	1	250
	33	16	900	D	X	800	1	23	900	1	33	800	31	2	260
	36	21	900	D	X	800	1	22	900	1	32	800	31	4	310



	Working width		Telescope position
	Vane setting		Switch-on point [m]
	Spreading disc speed		Switch-off point [m]
	Side spreading		Throwing angle
	Boundary spreading		throw distance
	Water course spreading		Limiter position
	Limiter		Limiter level
	Mengenreduzierung Position		Boundary spreading disc / boundary spreading vane
	Rate reduction in %		Calibration factor
	Delivery system		Granule diameter
	Telescope		Bulk density

PTO shaft	1 : 1.33	Spreading disc speed
375		500
415		550
450		600
540		720
600		800
650		870
675		900
750		1000



AMAZONE

Amazonen-Werke H.Dreyer SE & Co. KG

Am Amazonenwerk 9-13
Hasbergen-Gaste 49205
+49 5405 501111
duengeservice@amazonone.de