

My fertilizer sample

Spreader Application Center

ORIGIN 25-5-5

No.29







Material test ID: 583026849




Material ID: 50440299

Created on: 03.03.2026



ORIGIN 25-5-5

∅ 2.67 mm	145 °	 1 kg/l	 6.9 kg/min
99.8 N	 0 %	 14.4	



Please note for your information: Even if the results of the tested fertiliser sample suggest a definitive recommendation as to the settings on the fertiliser spreader, it is not possible for AMAZONE to unequivocally guarantee the actual distribution in the field. For besides the physical properties of the fertiliser, the distribution depends on other additional factors, such as storage of the product between the testing and spreading, the setting and the level of maintenance on the spreader, or its actual operation by the tractor driver. We therefore recommend that the settings are verified in the field by the use of, for example, the mobile test kit.

Table of Contents

1	ZAM	1
1.1	ZAM OM Limiter e/m Schieber	1
1.2	ZAM OM TS e/m Schieber	4
1.3	ZAM OM Hydro	8
2	ZAMU	9
2.1	ZAM Ultra OM Limiter e/m	9
2.2	ZAM Ultra OM Hydro e/m	12
3	ZATS	15
3.1	ZATS TS 1, TS 2, TS 3	15
3.2	ZATS TS 10, TS 20, TS 30	16
4	ZAV	17
4.1	ZAV Hydro	17
4.2	ZAV Limiter e/m Schieber	18
5	ZAX	21
5.1	ZAX Limiter	21
5.2	ZAX TQ	23

6	ZGBD	25
6.1	ZGB Drive OM Limiter	25
7	ZGTS	30
7.1	ZGTS TS 1,TS 2,TS 3	30
7.2	ZGTS TS 10,TS 20,TS 30	31




















(583026849)
ORIGIN 25-5-5

No.29



1.10 2.67 mm 1.00 kg/l



ZAM										
										
OM 10-12	10	16 / 45	720	A12	A15	25	2	1 A15	30	5
	12	16 / 45	720	A10	A13	25	2	2 A13	30	5
OM 10-16	10	13 / 42	720	A12	A15	25	2	1 A15	30	5
	12	13 / 42	720	A10	A13	25	2	2 A13	30	5
	15	14 / 43	720	A8	A12	27	3	A15	32	6
	16	14 / 43	720	A7	A10	27	3	A14	32	6
OM 18-24	18	10 / 42	870	A8	A13	27	3	A15	32	6
	20	10 / 42	870	A6	A12	30	4	A14	35	7
	21	10 / 42	870	A4	A11	30	4	A14	35	7
	24	11 / 42	870	B2	B10	35	5	B12	40	8
OM 24-36	24	5 / 37	720	B2	B11	35	5	B12	40	8
	27	6 / 39	720	B1	B10	35	5	B12	40	8
	28	7 / 41	720	B0	B9	35	5	B12	40	8
	30	11 / 42	870	B0	B8	37	6	B11	42	9
	32	12 / 43	870	B0	B7	37	6	B10	42	9
	33	12 / 44	870	B0	B6	37	6	B9	42	9

1. Disc-speed 535 1/min 2. Disc-speed 600 1/min



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	10,0	11,5	15,5	17,5	19	20,5	21,5	23	24	24,5	25,5	26,5	27	28	28,5	29,5	30	30,5	31,5	32	33	34,5	36,5	38,5	40,5	42,5
	12,0	13,5	17	19	20,5	22	23	24,5	25,5	26,5	27,5	28	29	30	30,5	31,5	32	33	33,5	34,5	35,5	37	39,5	41,5	44	46,5
	14,0	15	18	20	21,5	23	24,5	25,5	27	28	29	30	31	31,5	32,5	33,5	34	35	35,5	36,5	38	39,5	42	44,5	47,5	50
12	10,0	13,5	17	19	20,5	22	23	24,5	25,5	26,5	27,5	28	29	30	30,5	31,5	32	33	33,5	34,5	35,5	37	39,5	41,5	44	46,5
	12,0	15	18	20	22	23,5	25	26	27	28	29	30	31	32	33	33,5	34,5	35,5	36	37	38,5	40	42,5	45,5	48	51
	14,0	16	19	21,5	23	25	26	27,5	28,5	30	31	32	33	34	35	36	36,5	37,5	38,5	39,5	41	42,5	46	49	52	55,5
15	10,0	15,5	18,5	20,5	22,5	24	25	26,5	27,5	28,5	29,5	30,5	31,5	32,5	33,5	34,5	35	36	36,5	37,5	39	40,5	43,5	46,5	49	52
	12,0	17	19,5	22	24	25,5	27	28	29,5	30,5	32	33	34	35	36	37	38	38,5	39,5	40,5	42,5	44	47,5	51	54,5	58
	14,0	18	21	23	25	27	28,5	30	31	32,5	33,5	35	36	37	38,5	39,5	40,5	41,5	42,5	43,5	45,5	47,5	51,5	55,5	60	66,5
16	10,0	16	19	21	23	24,5	25,5	27	28	29,5	30,5	31,5	32,5	33,5	34,5	35	36	37	37,5	38,5	40	41,5	44,5	48	51	54
	12,0	17	20	22,5	24,5	26	27,5	29	30	31,5	32,5	33,5	35	36	37	38	39	40	41	41,5	43,5	45,5	49	52,5	56,5	61
	14,0	18,5	21,5	23,5	25,5	27,5	29	30,5	32	33,5	34,5	36	37	38	39,5	40,5	41,5	42,5	43,5	44,5	47	49	53,5	58	63,5	-
18	10,0	17	19,5	22	24	25,5	27	28	29,5	30,5	32	33	34	35	36	37	38	38,5	39,5	40,5	42,5	44	47,5	51	54,5	58
	12,0	18	21	23,5	25,5	27	28,5	30	31,5	33	34	35,5	36,5	37,5	38,5	40	41	42	43	44	46	48	52	56,5	61,5	69
	14,0	19	22,5	25	27	28,5	30,5	32	33,5	35	36,5	37,5	39	40	41,5	42,5	44	45	46	47,5	50	52	57,5	63,5	-	-
20	10,0	17,5	20,5	23	24,5	26,5	28	29,5	30,5	32	33	34,5	35,5	36,5	37,5	38,5	39,5	40,5	41,5	42,5	44,5	46,5	50	54	58	63
	12,0	19	22	24,5	26,5	28	30	31,5	33	34,5	35,5	37	38	39,5	40,5	41,5	43	44	45	46,5	48,5	51	55,5	61	69	-
	14,0	20	23	25,5	28	30	31,5	33,5	35	36,5	38	39,5	40,5	42	43,5	44,5	46	47,5	48,5	50	52,5	55,5	62	-	-	-
21	10,0	18	21	23	25	27	28,5	30	31	32,5	33,5	35	36	37	38,5	39,5	40,5	41,5	42,5	43,5	45,5	47,5	51,5	55,5	60	66,5
	12,0	19	22,5	25	27	28,5	30,5	32	33,5	35	36,5	37,5	39	40	41,5	42,5	44	45	46	47,5	50	52	57,5	63,5	-	-
	14,0	20,5	23,5	26	28,5	30,5	32,5	34	35,5	37	38,5	40	41,5	43	44,5	46	47	48,5	50	51,5	54	57,5	65	-	-	-
24	10,0	19	22	24,5	26,5	28	30	31,5	33	34,5	35,5	37	38	39,5	40,5	41,5	43	44	45	46,5	48,5	51	55,5	61	69	-
	12,0	20	23,5	26	28	30	32	33,5	35,5	37	38,5	40	41	42,5	44	45,5	46,5	48	49,5	51	53,5	56,5	63,5	-	-	-
	14,0	21,5	25	27,5	30	32	34	36	37,5	39,5	41	42,5	44	46	47,5	49	50,5	52	54	55,5	59	63,5	-	-	-	-
27	10,0	19,5	23	25,5	27,5	29,5	31	33	34,5	36	37,5	38,5	40	41,5	42,5	44	45,5	46,5	48	49	51,5	54,5	60	69	-	-
	12,0	21	24,5	27	29,5	31,5	33,5	35,5	37	38,5	40,5	42	43,5	45	46,5	48	49,5	51	52,5	54,5	57,5	61,5	-	-	-	-
	14,0	22,5	26	28,5	31	33,5	35,5	37,5	39,5	41,5	43	45	47	48,5	50,5	52	54	56	58	60	65,5	-	-	-	-	-
28	10,0	20	23	25,5	28	30	31,5	33,5	35	36,5	38	39,5	40,5	42	43,5	44,5	46	47,5	48,5	50	52,5	55,5	62	-	-	-
	12,0	21,5	25	27,5	30	32	34	36	37,5	39,5	41	42,5	44	46	47,5	49	50,5	52	54	55,5	59	63,5	-	-	-	-
	14,0	22,5	26	29	31,5	34	36	38	40	42	44	46	47,5	49,5	51,5	53,5	55	57,5	59,5	62	69	-	-	-	-	-



Breite \ kg / ha		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
		30	32	33																						
30	10,0	20,5	24	26,5	28,5	30,5	32,5	34,5	36	37,5	39	40,5	42	43,5	45	46,5	47,5	49	50,5	52	55	58	66,5	-	-	-
	12,0	22	25,5	28	30,5	33	35	37	38,5	40,5	42,5	44	45,5	47,5	49	51	52,5	54,5	56	58	62,5	69	-	-	-	-
	14,0	23	27	30	32,5	35	37	39,5	41,5	43,5	45,5	47,5	49,5	51,5	53,5	55,5	58	60	63	66,5	-	-	-	-	-	-
32	10,0	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	41,5	43	44,5	46,5	48	49,5	51	52,5	54	57	61	-	-	-	-
	12,0	22,5	26	29	31,5	33,5	36	38	40	41,5	43,5	45,5	47	49	51	52,5	54,5	56,5	58,5	61	67	-	-	-	-	-
	14,0	23,5	27,5	30,5	33,5	36	38	40,5	42,5	44,5	47	49	51	53,5	55,5	58	60,5	63,5	67,5	-	-	-	-	-	-	-
33	10,0	21,5	24,5	27,5	29,5	32	33,5	35,5	37,5	39	40,5	42,5	44	45,5	47	48,5	50	51,5	53,5	55	58,5	62,5	-	-	-	-
	12,0	22,5	26,5	29	32	34	36,5	38,5	40,5	42,5	44	46	48	50	51,5	53,5	55,5	57,5	60	62,5	70	-	-	-	-	-
	14,0	24	28	31	33,5	36,5	38,5	41	43	45,5	47,5	50	52	54	56,5	59	62	65,5	71,5	-	-	-	-	-	-	-



(583026849)
ORIGIN 25-5-5

No.29




1.10



















2.67 mm



1.00 kg/l



ZAM										
										
OM 10-12	10	16 / 45	720	TS 5-9 D 50 C 51	1 TS 5-9 D 45 B 47	25	2	1 TS 5-9 B 45 B 46	30	5
	12	16 / 45	720	TS 5-9 E 50 C 52	1 TS 5-9 E 45 C 48	25	2	1 TS 5-9 D 45 B 48	30	5
OM 10-16	10	13 / 42	720	TS 5-9 D 50 C 51	1 TS 5-9 D 45 B 47	25	2	1 TS 5-9 B 45 B 46	30	5
	12	13 / 42	720	TS 5-9 E 50 C 52	1 TS 5-9 E 45 C 48	25	2	1 TS 5-9 D 45 B 48	30	5
	15	14 / 43	720	TS 5-9 F 51 F 48	TS 5-9 E 42 C 49	27	3	TS 5-9 D 42 B 49	32	6
	16	14 / 43	720	TS 5-9 F 51 F 49	TS 5-9 E 42 C 49	27	3	TS 5-9 D 42 B 49	32	6
OM 18-24	18	10 / 42	870	TS 10-14 D 52 C 49	TS 5-9 F 46 D 50	27	3	TS 5-9 E 46 C 50	32	6
	20	10 / 42	870	TS 10-14 E 52 D 48	TS 10-14 A 49 A 45	30	4	TS 10-14 A 48 A 44	35	7
	21	10 / 42	870	TS 10-14 E 53 D 48	TS 10-14 A 50 A 45	30	4	TS 10-14 A 49 A 44	35	7
	24	11 / 42	870	TS 15-18 E 52 D 40	TS 10-14 C 52 C 46	35	5	TS 10-14 B 52 B 46	40	8

1. Disc-speed 535 1/min






















(583026849)
ORIGIN 25-5-5

No.29




1.10 2.67 mm 1.00 kg/l



ZAM										
										
OM 24-36	24	5 / 37	720	TS 15-18 E 52 D 40	TS 10-14 C 52 C 46	35	5	TS 10-14 B 52 B 46	40	8
	27	6 / 39	720	TS 15-18 H 55 E 41	TS 10-14 F 53 F 43	35	5	TS 10-14 E 53 E 43	40	8
	28	7 / 41	720	TS 15-18 H 55 E 41	TS 10-14 F 53 F 43	35	5	TS 10-14 E 53 E 43	40	8
	30	11 / 42	870	TS 4 A 44 B 28	TS 15-18 E 42 B 51	37	6	TS 15-18 D 42 A 51	42	9
	32	12 / 43	870	TS 4 A 53 C 23	TS 15-18 F 42 C 52	37	6	TS 15-18 E 42 B 52	42	9
	33	12 / 44	870	TS 4 A 57 D 21	TS 15-18 H 42 E 53	37	6	TS 15-18 G 42 D 53	42	9

1. Disc-speed 535 1/min



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	10,0	11,5	15,5	17,5	19	20,5	21,5	23	24	24,5	25,5	26,5	27	28	28,5	29,5	30	30,5	31,5	32	33	34,5	36,5	38,5	40,5	42,5
	12,0	13,5	17	19	20,5	22	23	24,5	25,5	26,5	27,5	28	29	30	30,5	31,5	32	33	33,5	34,5	35,5	37	39,5	41,5	44	46,5
	14,0	15	18	20	21,5	23	24,5	25,5	27	28	29	30	31	31,5	32,5	33,5	34	35	35,5	36,5	38	39,5	42	44,5	47,5	50
12	10,0	13,5	17	19	20,5	22	23	24,5	25,5	26,5	27,5	28	29	30	30,5	31,5	32	33	33,5	34,5	35,5	37	39,5	41,5	44	46,5
	12,0	15	18	20	22	23,5	25	26	27	28	29	30	31	32	33	33,5	34,5	35,5	36	37	38,5	40	42,5	45,5	48	51
	14,0	16	19	21,5	23	25	26	27,5	28,5	30	31	32	33	34	35	36	36,5	37,5	38,5	39,5	41	42,5	46	49	52	55,5
15	10,0	15,5	18,5	20,5	22,5	24	25	26,5	27,5	28,5	29,5	30,5	31,5	32,5	33,5	34,5	35	36	36,5	37,5	39	40,5	43,5	46,5	49	52
	12,0	17	19,5	22	24	25,5	27	28	29,5	30,5	32	33	34	35	36	37	38	38,5	39,5	40,5	42,5	44	47,5	51	54,5	58
	14,0	18	21	23	25	27	28,5	30	31	32,5	33,5	35	36	37	38,5	39,5	40,5	41,5	42,5	43,5	45,5	47,5	51,5	55,5	60	66,5
16	10,0	16	19	21	23	24,5	25,5	27	28	29,5	30,5	31,5	32,5	33,5	34,5	35	36	37	37,5	38,5	40	41,5	44,5	48	51	54
	12,0	17	20	22,5	24,5	26	27,5	29	30	31,5	32,5	33,5	35	36	37	38	39	40	41	41,5	43,5	45,5	49	52,5	56,5	61
	14,0	18,5	21,5	23,5	25,5	27,5	29	30,5	32	33,5	34,5	36	37	38	39,5	40,5	41,5	42,5	43,5	44,5	47	49	53,5	58	63,5	-
18	10,0	17	19,5	22	24	25,5	27	28	29,5	30,5	32	33	34	35	36	37	38	38,5	39,5	40,5	42,5	44	47,5	51	54,5	58
	12,0	18	21	23,5	25,5	27	28,5	30	31,5	33	34	35,5	36,5	37,5	38,5	40	41	42	43	44	46	48	52	56,5	61,5	69
	14,0	19	22,5	25	27	28,5	30,5	32	33,5	35	36,5	37,5	39	40	41,5	42,5	44	45	46	47,5	50	52	57,5	63,5	-	-
20	10,0	17,5	20,5	23	24,5	26,5	28	29,5	30,5	32	33	34,5	35,5	36,5	37,5	38,5	39,5	40,5	41,5	42,5	44,5	46,5	50	54	58	63
	12,0	19	22	24,5	26,5	28	30	31,5	33	34,5	35,5	37	38	39,5	40,5	41,5	43	44	45	46,5	48,5	51	55,5	61	69	-
	14,0	20	23	25,5	28	30	31,5	33,5	35	36,5	38	39,5	40,5	42	43,5	44,5	46	47,5	48,5	50	52,5	55,5	62	-	-	-
21	10,0	18	21	23	25	27	28,5	30	31	32,5	33,5	35	36	37	38,5	39,5	40,5	41,5	42,5	43,5	45,5	47,5	51,5	55,5	60	66,5
	12,0	19	22,5	25	27	28,5	30,5	32	33,5	35	36,5	37,5	39	40	41,5	42,5	44	45	46	47,5	50	52	57,5	63,5	-	-
	14,0	20,5	23,5	26	28,5	30,5	32,5	34	35,5	37	38,5	40	41,5	43	44,5	46	47	48,5	50	51,5	54	57,5	65	-	-	-
24	10,0	19	22	24,5	26,5	28	30	31,5	33	34,5	35,5	37	38	39,5	40,5	41,5	43	44	45	46,5	48,5	51	55,5	61	69	-
	12,0	20	23,5	26	28	30	32	33,5	35,5	37	38,5	40	41	42,5	44	45,5	46,5	48	49,5	51	53,5	56,5	63,5	-	-	-
	14,0	21,5	25	27,5	30	32	34	36	37,5	39,5	41	42,5	44	46	47,5	49	50,5	52	54	55,5	59	63,5	-	-	-	-
27	10,0	19,5	23	25,5	27,5	29,5	31	33	34,5	36	37,5	38,5	40	41,5	42,5	44	45,5	46,5	48	49	51,5	54,5	60	69	-	-
	12,0	21	24,5	27	29,5	31,5	33,5	35,5	37	38,5	40,5	42	43,5	45	46,5	48	49,5	51	52,5	54,5	57,5	61,5	-	-	-	-
	14,0	22,5	26	28,5	31	33,5	35,5	37,5	39,5	41,5	43	45	47	48,5	50,5	52	54	56	58	60	65,5	-	-	-	-	-
28	10,0	20	23	25,5	28	30	31,5	33,5	35	36,5	38	39,5	40,5	42	43,5	44,5	46	47,5	48,5	50	52,5	55,5	62	-	-	-
	12,0	21,5	25	27,5	30	32	34	36	37,5	39,5	41	42,5	44	46	47,5	49	50,5	52	54	55,5	59	63,5	-	-	-	-
	14,0	22,5	26	29	31,5	34	36	38	40	42	44	46	47,5	49,5	51,5	53,5	55	57,5	59,5	62	69	-	-	-	-	-

Breite \ kg / ha		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
		30	32	33																						
30	10,0	20,5	24	26,5	28,5	30,5	32,5	34,5	36	37,5	39	40,5	42	43,5	45	46,5	47,5	49	50,5	52	55	58	66,5	-	-	-
	12,0	22	25,5	28	30,5	33	35	37	38,5	40,5	42,5	44	45,5	47,5	49	51	52,5	54,5	56	58	62,5	69	-	-	-	-
	14,0	23	27	30	32,5	35	37	39,5	41,5	43,5	45,5	47,5	49,5	51,5	53,5	55,5	58	60	63	66,5	-	-	-	-	-	-
32	10,0	21	24,5	27	29,5	31,5	33,5	35	37	38,5	40	41,5	43	44,5	46,5	48	49,5	51	52,5	54	57	61	-	-	-	-
	12,0	22,5	26	29	31,5	33,5	36	38	40	41,5	43,5	45,5	47	49	51	52,5	54,5	56,5	58,5	61	67	-	-	-	-	-
	14,0	23,5	27,5	30,5	33,5	36	38	40,5	42,5	44,5	47	49	51	53,5	55,5	58	60,5	63,5	67,5	-	-	-	-	-	-	-
33	10,0	21,5	24,5	27,5	29,5	32	33,5	35,5	37,5	39	40,5	42,5	44	45,5	47	48,5	50	51,5	53,5	55	58,5	62,5	-	-	-	-
	12,0	22,5	26,5	29	32	34	36,5	38,5	40,5	42,5	44	46	48	50	51,5	53,5	55,5	57,5	60	62,5	70	-	-	-	-	-
	14,0	24	28	31	33,5	36,5	38,5	41	43	45,5	47,5	50	52	54	56,5	59	62	65,5	71,5	-	-	-	-	-	-	-


















(583026849)
ORIGIN 25-5-5

No.29




1.10 2.67 mm 1.00 kg/l



ZAM								
								
OM 10-12	10	16 / 45	720	400	1 250	1 25	2 200	2 30
	12	16 / 45	720	400	1 300	1 25	2 250	2 30
OM 10-16	10	13 / 42	720	300	1 250	1 25	2 180	2 30
	12	13 / 42	720	350	1 250	1 25	2 200	2 30
	15	14 / 43	720	400	300	27	250	32
	16	14 / 43	720	450	350	27	275	32
OM 18-24	18	10 / 42	870	400	300	27	250	32
	20	10 / 42	870	500	350	30	275	35
	21	10 / 42	870	500	350	30	300	35
	24	11 / 42	870	500	400	35	350	40
OM 24-36	24	5 / 37	720	400	300	35	275	40
	27	6 / 39	720	500	350	35	300	40
	28	7 / 41	720	500	350	35	300	40
	30	11 / 42	870	550	400	37	350	42
	32	12 / 43	870	600	450	37	375	42
	33	12 / 44	870	630	480	37	400	42

1. Disc-speed: 550 1/min on the field site 2. Disc-speed: 500 1/min on the field site





(583026849)
ORIGIN 25-5-5

No.29




1.06



















2.67 mm



1.00 kg/l



ZAMU										
										
OM 15-24	15	13 / 42	720	1,2 8	1,3 12	25	2	1,4 4	30	5
	16	13 / 42	720	1,2 6	1,3 11	25	2	1,5 4	30	5
	18	13 / 42	720	1,2 4	1,6 10	25	2	1,7 4	30	5
	20	13 / 42	720	1 4	1,2 11	30	4	1,8 6	35	7
	21	13 / 42	720	1 3	1,9 12	30	4	1,10 6	35	7
	24	15 / 42	720	1 1	1,11 13	35	5	1,3 6	40	8
	27	17 / 42	720	1 1	1 9	35	5	1,6 6	40	8
	28	18 / 42	720	1 0	1 8	35	5	1,12 6	40	8
OM 24-48	24	11 / 38	720	13 7	1 11	35	5	1,12 12	40	8
	27	12 / 41	720	13 5	1 9	35	5	1,12 11	40	8
	28	13 / 41	720	13 4	1 8	35	5	1,12 10	40	8
	30	15 / 42	720	13 1	13 15	37	6	1,2 10	42	9
	32	16 / 44	720	13 0	13 13	37	6	1,2 9	42	9
	33	16 / 44	720	13 0	13,14 11	37	6	1,2 8	42	9
	36	17 / 46	720	13 0	13 8	37	6	2,13 12	42	9

1. swivel out 2. Disc-speed 530 1/min 3. Disc-speed 400 1/min 4. Disc-speed 225 1/min 5. Disc-speed 250 1/min 6. Disc-speed 470 1/min 7. Disc-speed 300 1/min 8. Disc-speed 350 1/min 9. Disc-speed 600 1/min 10. Disc-speed 375 1/min 11. Disc-speed 670 1/min 12. Disc-speed 500 1/min 13. swivel in 14. 15. Disc-speed 535 1/min 16. Remove additional Spread Deflector



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
15	10,0	15,5	18,5	21	22,5	24	25,5	26,5	28	29	30	31	32	33	34	34,5	35,5	36,5	37	38	39,5	41	44	47	50	53
	12,0	17	20	22	24	25,5	27	28,5	30	31	32	33,5	34,5	35,5	36,5	37,5	38,5	39,5	40	41	43	44,5	48	51,5	55,5	59,5
	14,0	18	21	23,5	25,5	27	29	30	31,5	33	34	35,5	36,5	37,5	39	40	41	42	43	44	46	48	52,5	56,5	61,5	69,5
16	10,0	16	19	21,5	23	24,5	26	27,5	28,5	29,5	31	32	33	34	34,5	35,5	36,5	37,5	38	39	40,5	42,5	45,5	48,5	51,5	55
	12,0	17,5	20,5	22,5	24,5	26,5	28	29	30,5	32	33	34	35	36,5	37,5	38,5	39,5	40,5	41,5	42,5	44	46	50	53,5	57,5	62,5
	14,0	18,5	21,5	24	26	28	29,5	31	32,5	34	35	36,5	37,5	38,5	40	41	42	43	44,5	45,5	47,5	50	54,5	59	65,5	-
18	10,0	17	20	22	24	25,5	27	28,5	30	31	32	33,5	34,5	35,5	36,5	37,5	38,5	39,5	40	41	43	44,5	48	51,5	55,5	59,5
	12,0	18,5	21,5	23,5	25,5	27,5	29	30,5	32	33,5	34,5	36	37	38	39,5	40,5	41,5	42,5	43,5	44,5	46,5	49	53	57,5	63,5	-
	14,0	19,5	22,5	25	27	29	31	32,5	34	35,5	37	38	39,5	40,5	42	43	44,5	45,5	47	48	50,5	53	58,5	65,5	-	-
20	10,0	18	21	23	25	26,5	28	29,5	31	32,5	33,5	34,5	36	37	38	39	40	41	42	43	45	47	51	55	59,5	65
	12,0	19	22	24,5	26,5	28,5	30	32	33,5	34,5	36	37,5	38,5	40	41	42,5	43,5	44,5	46	47	49,5	51,5	56,5	62,5	-	-
	14,0	20	23,5	26	28	30	32	34	35,5	37	38,5	40	41,5	42,5	44	45,5	47	48	49,5	51	53,5	56,5	63,5	-	-	-
21	10,0	18	21	23,5	25,5	27	29	30	31,5	33	34	35,5	36,5	37,5	39	40	41	42	43	44	46	48	52,5	56,5	61,5	69,5
	12,0	19,5	22,5	25	27	29	31	32,5	34	35,5	37	38	39,5	40,5	42	43	44,5	45,5	47	48	50,5	53	58,5	65,5	-	-
	14,0	20,5	24	26,5	29	31	32,5	34,5	36	37,5	39	40,5	42	43,5	45	46,5	48	49,5	51	52,5	55,5	58,5	67,5	-	-	-
24	10,0	19	22	24,5	26,5	28,5	30	32	33,5	34,5	36	37,5	38,5	40	41	42,5	43,5	44,5	46	47	49,5	51,5	56,5	62,5	-	-
	12,0	20,5	23,5	26,5	28,5	30,5	32,5	34	36	37,5	39	40,5	42	43	44,5	46	47,5	49	50,5	51,5	54,5	57,5	65,5	-	-	-
	14,0	21,5	25	28	30	32,5	34,5	36,5	38	40	41,5	43	45	46,5	48	50	51,5	53	55	56,5	60,5	65,5	-	-	-	-
27	10,0	20	23	25,5	28	30	31,5	33,5	35	36,5	38	39,5	40,5	42	43,5	44,5	46	47,5	48,5	50	52,5	55,5	61,5	-	-	-
	12,0	21,5	24,5	27,5	30	32	34	36	37,5	39,5	41	42,5	44	45,5	47,5	49	50,5	52	53,5	55,5	59	63,5	-	-	-	-
	14,0	22,5	26	29	31,5	34	36	38	40	42	44	45,5	47,5	49,5	51	53	55	57	59,5	61,5	68,5	-	-	-	-	-
28	10,0	20	23,5	26	28	30	32	34	35,5	37	38,5	40	41,5	42,5	44	45,5	47	48	49,5	51	53,5	56,5	63,5	-	-	-
	12,0	21,5	25	28	30	32,5	34,5	36,5	38	40	41,5	43	45	46,5	48	50	51,5	53	55	56,5	60,5	65,5	-	-	-	-
	14,0	23	26,5	29,5	32	34,5	36,5	38,5	40,5	42,5	44,5	46,5	48,5	50,5	52,5	54,5	56,5	58,5	61	63,5	-	-	-	-	-	-
30	10,0	21	24	26,5	29	31	33	34,5	36,5	38	39,5	41	42,5	44	45,5	47	48,5	50	51,5	53	56	59,5	69,5	-	-	-
	12,0	22	25,5	28,5	31	33,5	35,5	37,5	39,5	41	43	44,5	46,5	48	50	51,5	53,5	55,5	57,5	59,5	64,5	-	-	-	-	-
	14,0	23,5	27	30	33	35,5	37,5	40	42	44	46	48	50	52,5	54,5	56,5	59	61,5	65	69,5	-	-	-	-	-	-
32	10,0	21,5	24,5	27,5	29,5	32	34	35,5	37,5	39	40,5	42,5	44	45,5	47	48,5	50	51,5	53,5	55	58,5	62,5	-	-	-	-
	12,0	22,5	26,5	29	32	34	36,5	38,5	40,5	42,5	44	46	48	50	51,5	53,5	55,5	57,5	60	62,5	70,5	-	-	-	-	-
	14,0	24	28	31	34	36,5	38,5	41	43	45,5	47,5	50	52	54,5	56,5	59	62	65,5	72	-	-	-	-	-	-	-

Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
33	10,0	21,5	25	27,5	30	32	34	36	38	39,5	41	43	44,5	46	47,5	49,5	51	52,5	54,5	56	60	64,5	-	-	-	-
	12,0	23	26,5	29,5	32	34,5	37	39	41	43	45	46,5	48,5	50,5	52,5	54,5	56,5	59	61,5	64,5	-	-	-	-	-	-
	14,0	24,5	28	31,5	34	37	39	41,5	44	46	48,5	50,5	53	55,5	58	60,5	64	68,5	-	-	-	-	-	-	-	-
36	10,0	22	25,5	28,5	31	33,5	35,5	37,5	39,5	41	43	44,5	46,5	48	50	51,5	53,5	55,5	57,5	59,5	64,5	-	-	-	-	-
	12,0	23,5	27,5	30,5	33,5	36	38	40,5	42,5	44,5	46,5	49	51	53	55,5	57,5	60,5	63,5	67	-	-	-	-	-	-	-
	14,0	25	29	32,5	35,5	38	40,5	43	45,5	48	50,5	53	55,5	58,5	61,5	65,5	-	-	-	-	-	-	-	-	-	-
40	10,0	23	26,5	29,5	32,5	34,5	37	39	41	43	45	47	49	51	53	55	57	59,5	62	65	-	-	-	-	-	-
	12,0	24,5	28,5	32	34,5	37,5	40	42,5	44,5	47	49,5	51,5	54	56,5	59,5	62,5	66,5	-	-	-	-	-	-	-	-	-
	14,0	26	30	34	37	40	42,5	45,5	48	51	53,5	56,5	60	63,5	69,5	-	-	-	-	-	-	-	-	-	-	-



(583026849)
ORIGIN 25-5-5

No.29




1.06



















2.67 mm



1.00 kg/l



ZAMU										
										
OM 15-24	15	13 / 42	720	300	250	25	2	180	30	5
	16	13 / 42	720	320	270	25	2	190	30	5
	18	13 / 42	720	370	300	25	2	200	30	5
	20	13 / 42	720	410	330	30	4	225	35	7
	21	13 / 42	720	430	350	30	4	240	35	7
	24	15 / 42	720	500	400	35	5	300	40	8
	27	17 / 42	720	600	480	35	5	350	40	8
	28	18 / 42	720	630	500	35	5	370	40	8
OM 24-48	24	11 / 38	720	300	250	35	5	225	40	8
	27	12 / 41	720	350	300	35	5	240	40	8
	28	13 / 41	720	350	300	35	5	250	40	8
	30	15 / 42	720	400	350	37	6	280	42	9
	32	16 / 44	720	450	400	37	6	300	42	9
	33	16 / 44	720	480	415	37	6	320	42	9
	36	17 / 46	720	500	450	37	6	350	42	9



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
15	10,0	15,5	18,5	21	22,5	24	25,5	26,5	28	29	30	31	32	33	34	34,5	35,5	36,5	37	38	39,5	41	44	47	50	53
	12,0	17	20	22	24	25,5	27	28,5	30	31	32	33,5	34,5	35,5	36,5	37,5	38,5	39,5	40	41	43	44,5	48	51,5	55,5	59,5
	14,0	18	21	23,5	25,5	27	29	30	31,5	33	34	35,5	36,5	37,5	39	40	41	42	43	44	46	48	52,5	56,5	61,5	69,5
16	10,0	16	19	21,5	23	24,5	26	27,5	28,5	29,5	31	32	33	34	34,5	35,5	36,5	37,5	38	39	40,5	42,5	45,5	48,5	51,5	55
	12,0	17,5	20,5	22,5	24,5	26,5	28	29	30,5	32	33	34	35	36,5	37,5	38,5	39,5	40,5	41,5	42,5	44	46	50	53,5	57,5	62,5
	14,0	18,5	21,5	24	26	28	29,5	31	32,5	34	35	36,5	37,5	38,5	40	41	42	43	44,5	45,5	47,5	50	54,5	59	65,5	-
18	10,0	17	20	22	24	25,5	27	28,5	30	31	32	33,5	34,5	35,5	36,5	37,5	38,5	39,5	40	41	43	44,5	48	51,5	55,5	59,5
	12,0	18,5	21,5	23,5	25,5	27,5	29	30,5	32	33,5	34,5	36	37	38	39,5	40,5	41,5	42,5	43,5	44,5	46,5	49	53	57,5	63,5	-
	14,0	19,5	22,5	25	27	29	31	32,5	34	35,5	37	38	39,5	40,5	42	43	44,5	45,5	47	48	50,5	53	58,5	65,5	-	-
20	10,0	18	21	23	25	26,5	28	29,5	31	32,5	33,5	34,5	36	37	38	39	40	41	42	43	45	47	51	55	59,5	65
	12,0	19	22	24,5	26,5	28,5	30	32	33,5	34,5	36	37,5	38,5	40	41	42,5	43,5	44,5	46	47	49,5	51,5	56,5	62,5	-	-
	14,0	20	23,5	26	28	30	32	34	35,5	37	38,5	40	41,5	42,5	44	45,5	47	48	49,5	51	53,5	56,5	63,5	-	-	-
21	10,0	18	21	23,5	25,5	27	29	30	31,5	33	34	35,5	36,5	37,5	39	40	41	42	43	44	46	48	52,5	56,5	61,5	69,5
	12,0	19,5	22,5	25	27	29	31	32,5	34	35,5	37	38	39,5	40,5	42	43	44,5	45,5	47	48	50,5	53	58,5	65,5	-	-
	14,0	20,5	24	26,5	29	31	32,5	34,5	36	37,5	39	40,5	42	43,5	45	46,5	48	49,5	51	52,5	55,5	58,5	67,5	-	-	-
24	10,0	19	22	24,5	26,5	28,5	30	32	33,5	34,5	36	37,5	38,5	40	41	42,5	43,5	44,5	46	47	49,5	51,5	56,5	62,5	-	-
	12,0	20,5	23,5	26,5	28,5	30,5	32,5	34	36	37,5	39	40,5	42	43	44,5	46	47,5	49	50,5	51,5	54,5	57,5	65,5	-	-	-
	14,0	21,5	25	28	30	32,5	34,5	36,5	38	40	41,5	43	45	46,5	48	50	51,5	53	55	56,5	60,5	65,5	-	-	-	-
27	10,0	20	23	25,5	28	30	31,5	33,5	35	36,5	38	39,5	40,5	42	43,5	44,5	46	47,5	48,5	50	52,5	55,5	61,5	-	-	-
	12,0	21,5	24,5	27,5	30	32	34	36	37,5	39,5	41	42,5	44	45,5	47,5	49	50,5	52	53,5	55,5	59	63,5	-	-	-	-
	14,0	22,5	26	29	31,5	34	36	38	40	42	44	45,5	47,5	49,5	51	53	55	57	59,5	61,5	68,5	-	-	-	-	-
28	10,0	20	23,5	26	28	30	32	34	35,5	37	38,5	40	41,5	42,5	44	45,5	47	48	49,5	51	53,5	56,5	63,5	-	-	-
	12,0	21,5	25	28	30	32,5	34,5	36,5	38	40	41,5	43	45	46,5	48	50	51,5	53	55	56,5	60,5	65,5	-	-	-	-
	14,0	23	26,5	29,5	32	34,5	36,5	38,5	40,5	42,5	44,5	46,5	48,5	50,5	52,5	54,5	56,5	58,5	61	63,5	-	-	-	-	-	-
30	10,0	21	24	26,5	29	31	33	34,5	36,5	38	39,5	41	42,5	44	45,5	47	48,5	50	51,5	53	56	59,5	69,5	-	-	-
	12,0	22	25,5	28,5	31	33,5	35,5	37,5	39,5	41	43	44,5	46,5	48	50	51,5	53,5	55,5	57,5	59,5	64,5	-	-	-	-	-
	14,0	23,5	27	30	33	35,5	37,5	40	42	44	46	48	50	52,5	54,5	56,5	59	61,5	65	69,5	-	-	-	-	-	-
32	10,0	21,5	24,5	27,5	29,5	32	34	35,5	37,5	39	40,5	42,5	44	45,5	47	48,5	50	51,5	53,5	55	58,5	62,5	-	-	-	-
	12,0	22,5	26,5	29	32	34	36,5	38,5	40,5	42,5	44	46	48	50	51,5	53,5	55,5	57,5	60	62,5	70,5	-	-	-	-	-
	14,0	24	28	31	34	36,5	38,5	41	43	45,5	47,5	50	52	54,5	56,5	59	62	65,5	72	-	-	-	-	-	-	-

Breite \ kg / ha		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
		10,0	12,0	14,0																						
33	10,0	21,5	25	27,5	30	32	34	36	38	39,5	41	43	44,5	46	47,5	49,5	51	52,5	54,5	56	60	64,5	-	-	-	-
	12,0	23	26,5	29,5	32	34,5	37	39	41	43	45	46,5	48,5	50,5	52,5	54,5	56,5	59	61,5	64,5	-	-	-	-	-	-
	14,0	24,5	28	31,5	34	37	39	41,5	44	46	48,5	50,5	53	55,5	58	60,5	64	68,5	-	-	-	-	-	-	-	-
36	10,0	22	25,5	28,5	31	33,5	35,5	37,5	39,5	41	43	44,5	46,5	48	50	51,5	53,5	55,5	57,5	59,5	64,5	-	-	-	-	-
	12,0	23,5	27,5	30,5	33,5	36	38	40,5	42,5	44,5	46,5	49	51	53	55,5	57,5	60,5	63,5	67	-	-	-	-	-	-	-
	14,0	25	29	32,5	35,5	38	40,5	43	45,5	48	50,5	53	55,5	58,5	61,5	65,5	-	-	-	-	-	-	-	-	-	-
40	10,0	23	26,5	29,5	32,5	34,5	37	39	41	43	45	47	49	51	53	55	57	59,5	62	65	-	-	-	-	-	-
	12,0	24,5	28,5	32	34,5	37,5	40	42,5	44,5	47	49,5	51,5	54	56,5	59,5	62,5	66,5	-	-	-	-	-	-	-	-	-
	14,0	26	30	34	37	40	42,5	45,5	48	51	53,5	56,5	60	63,5	69,5	-	-	-	-	-	-	-	-	-	-	-



(583026849)


ORIGIN 25-5-5


























No.29





1.25 2.67 mm 1.00 kg/l 14.4



ZATS															
															
TS 1	15	34	600	A	1	500	1	23	500	1	33	500	18	-2	180
	16	36	600	A	1	720	1	22	600	1	32	500	18	-1	210
	18	41	600	A	1	720	1	21	600	1	31	500	18	1	250
	20	39	800	A	1	720	1	21	720	1	31	600	22	-2	210
	21	41	800	A	1	720	1	20	720	1	30	600	22	-1	220
	24	45	900	A	1	800	1	17	800	1	27	720	25	0	250
TS 2	21	8	600	B	3	720	3	26	600	3	36	500	23	-1	190
	24	14	600	D	X	500	1	25	600	1	35	500	23	2	250
	27	15	800	B	3	900	3	25	800	3	35	720	28	-1	200
	28	16	800	B	3	900	3	24	800	3	34	720	28	0	220
	30	18	900	D	X	720	1	23	800	1	33	720	30	0	210
TS 3	24	7	600	C	3	720	3	23	600	3	33	500	26	-2	190
	27	12	600	C	3	720	3	21	600	3	31	500	27	1	250
	28	11	720	C	3	800	3	22	720	3	32	600	30	-1	200
	30	13	800	C	3	900	3	22	800	3	32	720	31	-1	210
	32	15	900	C	3	900	3	21	800	3	31	720	33	-1	210
	33	16	900	C	3	900	3	21	800	3	31	720	34	-1	220
	36	20	900	D	X	720	1	21	800	1	31	720	34	1	260






(583026849)
ORIGIN 25-5-5











No.29





1.25 2.67 mm 1.00 kg/l 14.4



ZATS															
TS 10	15	34	600	A	1	500	1	23	500	1	33	500	18	-2	180
	16	36	600	A	1	720	1	22	600	1	32	500	18	-1	210
	18	41	600	A	1	720	1	21	600	1	31	500	18	1	250
	20	39	800	A	1	720	1	21	720	1	31	600	22	-2	210
	21	41	800	A	1	720	1	20	720	1	30	600	22	-1	220
	24	45	900	A	1	800	1	17	800	1	27	720	25	0	250
TS 20	18	18	600	B	3	720	3	28	600	3	38	500	21	-2	170
	20	22	600	B	3	720	3	27	600	3	37	500	21	0	210
	21	25	600	B	3	720	3	26	600	3	36	500	21	1	230
	24	29	720	B	3	800	3	26	720	3	36	600	24	0	230
	27	30	900	B	3	900	3	25	800	3	35	720	28	-1	210
	28	32	900	D	X	720	1	24	800	1	34	720	28	0	230
	30	35	900	D	X	720	1	23	800	1	33	720	28	1	260
TS 30	24	7	600	C	3	720	3	23	600	3	33	500	26	-2	190
	27	12	600	C	3	720	3	21	600	3	31	500	27	1	250
	28	11	720	C	3	800	3	22	720	3	32	600	30	-1	200
	30	13	800	C	3	900	3	22	800	3	32	720	31	-1	210
	32	15	900	C	3	900	3	21	800	3	31	720	33	-1	210
	33	16	900	C	3	900	3	21	800	3	31	720	34	-1	220
	36	20	900	D	X	720	1	21	800	1	31	720	34	1	260

















(583026849)
ORIGIN 25-5-5

No.29



1.20 2.67 mm 1.00 kg/l



ZAV										
										
V-Set 1	10	8 / 39	720	300	1 250	1 25	2 180	2 60	15	-5
	12	8 / 39	720	350	1 250	1 25	2 200	2 60	15	-3
	15	8 / 39	720	400	300	25	250	60	18	-2
	16	8 / 39	720	450	350	25	275	60	18	-2
	18	9 / 40	720	500	400	25	300	60	18	-1
	20	12 / 40	900	550	450	25	325	60	17	1
	21	12 / 41	900	550	450	25	325	60	17	2
V-Set 2	18	8 / 38	720	400	300	25	250	60	21	-2
	20	10 / 38	900	500	350	25	275	60	19	0
	21	10 / 38	900	500	350	25	275	60	19	0
	24	10 / 39	900	500	400	25	300	60	18	4
	27	12 / 39	900	550	450	25	350	60	20	5
	28	12 / 40	900	550	450	25	350	60	21	5
V-Set 3	24	6 / 38	900	400	300	25	275	60	21	0
	27	6 / 38	900	500	350	25	300	60	24	1
	28	6 / 38	900	500	350	25	300	60	25	1
	30	6 / 39	900	550	400	25	350	60	26	2
	32	6 / 40	900	600	450	25	375	60	27	3
	33	6 / 40	900	600	475	25	400	60	27	4
	36	6 / 42	900	650	500	25	450	60	29	5

1. Disc-speed: 550 1/min on the field site 2. Disc-speed: 500 1/min on the field site





(583026849)

ORIGIN 25-5-5

No.29



1.20












2.67 mm



1.00 kg/l



ZAV														
V-Set 1	10	8 / 39	720	B	70	100	25	3	100	60	8	500	15	-5
	12	8 / 39	720	B	70	100	25	4	100	60	8	500	15	-3
	15	8 / 39	720	C	70	100	25	4	100	60	9	500	18	-2
	16	8 / 39	720	C	70	100	25	4	100	60	9	500	18	-2
	18	9 / 40	720	D	70	100	25	5	100	60	9	500	18	-1
	20	12 / 40	900	E	70	100	25	5	100	60	10	680	17	1
	21	12 / 41	900	E	70	100	25	5	100	60	10	680	17	2
V-Set 2	18	8 / 38	720	C	60	90	25	5	90	60	9	500	21	-2
	20	10 / 38	900	D	60	90	25	5	90	60	10	680	19	0
	21	10 / 38	900	D	60	90	25	5	90	60	10	680	19	0
	24	10 / 39	900	D	60	90	25	5	90	60	10	680	18	4
	27	12 / 39	900	E	60	90	25	5	90	60	11	680	20	5
	28	12 / 40	900	E	60	90	25	5	90	60	12	680	21	5
V-Set 3	24	6 / 38	900	E	50	80	25	5	80	60	11	680	21	0
	27	6 / 38	900	E	50	80	25	5	80	60	12	680	24	1
	28	6 / 38	900	E	50	80	25	5	80	60	12	680	25	1
	30	6 / 39	900	F	50	80	25	5	80	60	13	680	26	2
	32	6 / 40	900	F	50	80	25	5	80	60	13	680	27	3
	33	6 / 40	900	F	50	80	25	5	80	60	13	680	27	4
	36	6 / 42	900	G	50	80	25	5	80	60	14	680	29	5



Breite \ kg / ha		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000	
10	10,0	12	14	15,5	16,5	18	19,5	20,5	22	23	24	24,5	25,5	26,5	27	28	28,5	29	30	30,5	31,5	33	35,5	37,5	39,5	41	
	12,0	13	14,5	16,5	18	20	21	22,5	23,5	24,5	25,5	26,5	27,5	28,5	29	30	30,5	31,5	32	33	34,5	36	38,5	40,5	42,5	44,5	
	14,0	13,5	15,5	17,5	19,5	21	22,5	24	25	26,5	27,5	28,5	29,5	30	31	32	33	33,5	35	35,5	37	38,5	41	43,5	45	46,5	
12	10,0	13	14,5	16,5	18	20	21	22,5	23,5	24,5	25,5	26,5	27,5	28,5	29	30	30,5	31,5	32	33	34,5	36	38,5	40,5	42,5	44,5	
	12,0	13,5	16	18	20	21,5	23	24,5	25,5	26,5	27,5	28,5	29,5	30,5	31,5	32,5	33,5	34	35	36	37,5	39	41,5	44	45,5	47	
	14,0	14,5	17	19	21	23	24,5	26	27,5	28,5	29,5	30,5	31,5	32,5	33,5	35	36	36,5	37,5	38,5	40	41,5	44	46	48	49,5	
15	10,0	14	16	18	20	22	23,5	24,5	26	27	28	29	30	31	32	33	34	35	36	36,5	38	39,5	42	44,5	46	47,5	
	12,0	14,5	17,5	20	22	23,5	25	26,5	28	29	30,5	31,5	32,5	33,5	35	36	37	38	38,5	39,5	41	42,5	45	47	49	50,5	
	14,0	15,5	18,5	21	23,5	25	27	28,5	29,5	31	32,5	33,5	35	36	37,5	38,5	39,5	40,5	41	42	44	45	47,5	49,5	51,5	53,5	
16	10,0	14	16,5	18,5	20,5	22,5	24	25,5	26,5	28	29	30	31	32	33	34	35	36	37	37,5	39	40,5	43,5	45,5	47	49	
	12,0	15	18	20,5	22,5	24,5	26	27,5	28,5	30	31	32,5	33,5	35	36	37	38	39	39,5	40,5	42	44	46	48	50	52	
	14,0	16	19	21,5	24	26	27,5	29	30,5	32	33,5	35	36	37,5	38,5	39,5	40,5	41,5	42,5	43,5	45	46	48,5	50,5	53	55	
18	10,0	14,5	17,5	20	22	23,5	25	26,5	28	29	30,5	31,5	32,5	33,5	35	36	37	38	38,5	39,5	41	42,5	45	47	49	50,5	
	12,0	16	19	21,5	23,5	25,5	27,5	28,5	30	31,5	33	34	35,5	36,5	38	39	40	40,5	41,5	42,5	44	45,5	48	50	52	54,5	
	14,0	17	20,5	23	25	27,5	29	30,5	32	33,5	35,5	36,5	38	39	40,5	41,5	42,5	43,5	44,5	45	46,5	48	50,5	53	55,5	57,5	
20	10,0	15,5	18	20,5	23	24,5	26,5	28	29	30,5	31,5	33	34,5	35,5	36,5	37,5	38,5	39,5	40,5	41	43	44,5	46,5	49	50,5	52,5	
	12,0	16,5	20	22,5	24,5	26,5	28,5	30	31,5	33	34,5	36	37	38,5	39,5	40,5	41,5	42,5	43,5	44,5	46	47	49,5	52	54,5	56,5	
	14,0	17,5	21	24	26,5	28,5	30	32	33,5	35,5	37	38,5	39,5	41	42	43,5	44,5	45	46	46,5	48	49,5	52,5	55	57,5	60	
21	10,0	15,5	18,5	21	23,5	25	27	28,5	29,5	31	32,5	33,5	35	36	37,5	38,5	39,5	40,5	41	42	44	45	47,5	49,5	51,5	53,5	
	12,0	17	20,5	23	25	27,5	29	30,5	32	33,5	35,5	36,5	38	39	40,5	41,5	42,5	43,5	44,5	45	46,5	48	50,5	53	55,5	57,5	
	14,0	18	21,5	24,5	27	29	31	32,5	34,5	36	37,5	39	40,5	41,5	43	44	45	46	46,5	47,5	49	50,5	53	56	58,5	-	
24	10,0	16,5	20	22,5	24,5	26,5	28,5	30	31,5	33	34,5	36	37	38,5	39,5	40,5	41,5	42,5	43,5	44,5	46	47	49,5	52	54,5	56,5	
	12,0	18	21,5	24,5	26,5	28,5	30,5	32,5	34	36	37,5	39	40	41,5	42,5	44	44,5	45,5	46,5	47	48,5	50	53	55,5	58,5	-	
	14,0	19	23	26	28,5	30,5	32,5	35	36,5	38,5	40	41,5	43	44	45	46	47	48	48,5	49,5	51	53	56	59	-	-	
27	10,0	17,5	21	23,5	26	28	29,5	31,5	33	35	36,5	38	39	40,5	41,5	42,5	43,5	44,5	45,5	46	47,5	49	51,5	54,5	57	59	
	12,0	19	22,5	25,5	28	30	32	34	36	38	39,5	40,5	42	43,5	44,5	45,5	46,5	47,5	48	49	50,5	52	55,5	58,5	-	-	
	14,0	20,5	24	27,5	29,5	32	34,5	36,5	38,5	40,5	42	43,5	45	46	47	48	49	49,5	50,5	51,5	53,5	55,5	58,5	-	-	-	
28	10,0	17,5	21	24	26,5	28,5	30	32	33,5	35,5	37	38,5	39,5	41	42	43,5	44,5	45	46	46,5	48	49,5	52,5	55	57,5	60	
	12,0	19	23	26	28,5	30,5	32,5	35	36,5	38,5	40	41,5	43	44	45	46	47	48	48,5	49,5	51	53	56	59	-	-	
	14,0	20,5	24,5	27,5	30	32,5	35,5	37,5	39	41	42,5	44	45,5	46,5	47,5	48,5	49,5	50,5	51,5	52,5	54	56	59,5	-	-	-	
30	10,0	18	22	24,5	27	29	31	33	35	36,5	38	39,5	41	42	43,5	44,5	45,5	46	47	47,5	49,5	50,5	53,5	56,5	59	-	
	12,0	20	23,5	26,5	29	31,5	33,5	36	38	39,5	41	42,5	44	45	46	47	48	49	50	50,5	52,5	54,5	57,5	-	-	-	
	14,0	21	25	28,5	31	33,5	36	38,5	40,5	42	44	45	46,5	47,5	48,5	49,5	50,5	51,5	52,5	53,5	55,5	57,5	-	-	-	-	



kg / ha Breite		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
		32	10,0	18,5	22,5	25,5	28	30	32	34	36	37,5	39	40,5	42	43,5	44,5	45,5	46,5	47	48	49	50,5	52	55	58
12,0	20,5		24,5	27,5	30	32,5	35	37	39	40,5	42	44	45	46	47	48	49	50	51	52	54	55,5	59	-	-	-
14,0	21,5		26	29	32	35	37,5	39,5	41,5	43,5	45	46	47,5	48,5	49,5	50,5	51,5	53	54	55	57	59	-	-	-	-
33	10,0	19	23	25,5	28	30,5	32,5	34,5	36,5	38	39,5	41	42,5	44	45	46	46,5	47,5	48,5	49,5	51	52,5	55,5	58,5	-	-
	12,0	20,5	24,5	27,5	30,5	33	35,5	37,5	39,5	41	43	44	45,5	46,5	47,5	48,5	49,5	50,5	51,5	52,5	54,5	56,5	59,5	-	-	-
	14,0	22	26,5	29,5	32,5	35,5	37,5	40	42	44	45,5	46,5	48	49	50	51	52,5	53,5	54,5	55,5	58	59,5	-	-	-	-
36	10,0	20	23,5	26,5	29	31,5	33,5	36	38	39,5	41	42,5	44	45	46	47	48	49	50	50,5	52,5	54,5	57,5	-	-	-
	12,0	21,5	25,5	28,5	31,5	34	36,5	39	40,5	42,5	44	45,5	47	48	49	50	51	52	53	54,5	56,5	58,5	-	-	-	-
	14,0	23	27,5	30,5	33,5	36,5	39	41,5	43,5	45	46,5	48	49	50,5	51,5	53	54	55,5	56,5	57,5	59,5	-	-	-	-	-




(583026849)
ORIGIN 25-5-5

No.29



2.67 mm 1.00 kg/l



ZAX						
Omnia-Set X Perfect	10	5 / 35	720	9	15	1 15
	12	6 / 37	720	7	13	15
	15	8 / 38	720	5	11	13
	16	8 / 39	720	3	10	12
	18	8 / 41	720	1	8	11

1. Disc-speed 600 1/min



Breite \ kg / ha		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	10,0	8	9	9,5	10	10,5	11	11,5	12	12	12,5	13	13,5	14	14	14,5	15	15,5	16	16,5	17	18	20	22	24	26
	12,0	8,5	9,5	10	10,5	11	11,5	12	12,5	13	13,5	14	14,5	15	15,5	16	16,5	17	17,5	18	19	20,5	22,5	25,5	28	-
	14,0	9	9,5	10,5	11	11,5	12	12,5	13	14	14,5	15	15,5	16	16,5	17,5	18	18,5	19	20	21	22,5	26	29	-	-
12	10,0	8,5	9,5	10	10,5	11	11,5	12	12,5	13	13,5	14	14,5	15	15,5	16	16,5	17	17,5	18	19	20,5	22,5	25,5	28	-
	12,0	9	9,5	10,5	11	11,5	12	13	13,5	14	14,5	15	16	16,5	17	17,5	18,5	19	19,5	20,5	21,5	23	26,5	29,5	-	-
	14,0	9	10	11	11,5	12	13	13,5	14,5	15	15,5	16,5	17	18	18,5	19,5	20	21	22	22,5	24,5	26,5	-	-	-	-
15	10,0	9	10	10,5	11	12	12,5	13	13,5	14	15	15,5	16	16,5	17,5	18	18,5	19,5	20	21	22,5	24	27,5	-	-	-
	12,0	9,5	10	11	12	12,5	13	14	14,5	15,5	16	17	18	18,5	19,5	20,5	21	22	23	24	26	28	-	-	-	-
	14,0	9,5	10,5	11,5	12,5	13	14	15	16	16,5	17,5	18,5	19,5	20,5	21,5	22,5	24	25	26	27,5	29,5	-	-	-	-	-
16	10,0	9	10	10,5	11,5	12	12,5	13,5	14	14,5	15,5	16	16,5	17,5	18	19	19,5	20,5	21	22	23,5	25,5	29	-	-	-
	12,0	9,5	10,5	11	12	13	13,5	14,5	15	16	17	17,5	18,5	19,5	20,5	21	22	23	24	25,5	27,5	29,5	-	-	-	-
	14,0	10	11	11,5	12,5	13,5	14,5	15,5	16,5	17,5	18,5	19,5	20,5	21,5	22,5	24	25	26,5	27,5	29	-	-	-	-	-	-
18	10,0	9,5	10	11	12	12,5	13	14	14,5	15,5	16	17	18	18,5	19,5	20,5	21	22	23	24	26	28	-	-	-	-
	12,0	9,5	10,5	11,5	12,5	13,5	14,5	15	16	17	18	19	20	21	22	23	24,5	25,5	27	28	-	-	-	-	-	-
	14,0	10	11	12	13	14,5	15,5	16,5	17,5	18,5	19,5	21	22	23,5	25	26,5	28	29	-	-	-	-	-	-	-	-


















(583026849)
ORIGIN 25-5-5

No.29



2.67 mm 1.00 kg/l



ZAX								
								
Omnia-Set X Perfect	10	5 / 35	720	Tele-Quick B50	1Tele-Quick B50	2	1Tele-Quick A49	3
	12	6 / 37	720	Tele-Quick D50	1Tele-Quick D50	2	1Tele-Quick B49	3
	15	8 / 38	720	Tele-Quick E50	2Tele-Quick E50	2	1Tele-Quick D50	3
	16	8 / 39	720	Tele-Quick E50	2Tele-Quick E50	2	1Tele-Quick D50	3
	18	8 / 41	720	Tele-Quick F50	3Tele-Quick F50	2	2Tele-Quick E50	3

1. Disc-speed 535 1/min 2. Disc-speed 600 1/min 3. Disc-speed 670 1/min

















Breite \ kg / ha		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
		10	12	15	16	18																				
10	10,0	8	9	9,5	10	10,5	11	11,5	12	12	12,5	13	13,5	14	14	14,5	15	15,5	16	16,5	17	18	20	22	24	26
	12,0	8,5	9,5	10	10,5	11	11,5	12	12,5	13	13,5	14	14,5	15	15,5	16	16,5	17	17,5	18	19	20,5	22,5	25,5	28	-
	14,0	9	9,5	10,5	11	11,5	12	12,5	13	14	14,5	15	15,5	16	16,5	17,5	18	18,5	19	20	21	22,5	26	29	-	-
12	10,0	8,5	9,5	10	10,5	11	11,5	12	12,5	13	13,5	14	14,5	15	15,5	16	16,5	17	17,5	18	19	20,5	22,5	25,5	28	-
	12,0	9	9,5	10,5	11	11,5	12	13	13,5	14	14,5	15	16	16,5	17	17,5	18,5	19	19,5	20,5	21,5	23	26,5	29,5	-	-
	14,0	9	10	11	11,5	12	13	13,5	14,5	15	15,5	16,5	17	18	18,5	19,5	20	21	22	22,5	24,5	26,5	-	-	-	-
15	10,0	9	10	10,5	11	12	12,5	13	13,5	14	15	15,5	16	16,5	17,5	18	18,5	19,5	20	21	22,5	24	27,5	-	-	-
	12,0	9,5	10	11	12	12,5	13	14	14,5	15,5	16	17	18	18,5	19,5	20,5	21	22	23	24	26	28	-	-	-	-
	14,0	9,5	10,5	11,5	12,5	13	14	15	16	16,5	17,5	18,5	19,5	20,5	21,5	22,5	24	25	26	27,5	29,5	-	-	-	-	-
16	10,0	9	10	10,5	11,5	12	12,5	13,5	14	14,5	15,5	16	16,5	17,5	18	19	19,5	20,5	21	22	23,5	25,5	29	-	-	-
	12,0	9,5	10,5	11	12	13	13,5	14,5	15	16	17	17,5	18,5	19,5	20,5	21	22	23	24	25,5	27,5	29,5	-	-	-	-
	14,0	10	11	11,5	12,5	13,5	14,5	15,5	16,5	17,5	18,5	19,5	20,5	21,5	22,5	24	25	26,5	27,5	29	-	-	-	-	-	-
18	10,0	9,5	10	11	12	12,5	13	14	14,5	15,5	16	17	18	18,5	19,5	20,5	21	22	23	24	26	28	-	-	-	-
	12,0	9,5	10,5	11,5	12,5	13,5	14,5	15	16	17	18	19	20	21	22	23	24,5	25,5	27	28	-	-	-	-	-	-
	14,0	10	11	12	13	14,5	15,5	16,5	17,5	18,5	19,5	21	22	23,5	25	26,5	28	29	-	-	-	-	-	-	-	-



(583026849)

ORIGIN 25-5-5
No.29

1.00 2.67 mm 1.00 kg/l

ZGB								
								
OM 10-12	10	16 / 45	720	A12	A15	-	1 A15	-
	12	16 / 45	720	A10	A13	-	2 A13	-
OM 10-16	10	13 / 42	720	A12	A15	-	1 A15	-
	12	13 / 42	720	A10	A13	-	2 A13	-
	15	14 / 43	720	A8	A12	-	A15	-
	16	14 / 43	720	A7	A10	-	A14	-
OM 18-24	18	10 / 42	870	A8	A13	-	A15	-
	20	10 / 42	870	A6	A12	-	A14	-
	21	10 / 42	870	A4	A11	-	A14	-
	24	11 / 42	870	B2	B10	-	B12	-
OM 24-36	24	5 / 37	720	B2	B11	-	B12	-
	27	6 / 39	720	B1	B10	-	B12	-
	28	7 / 41	720	B0	B9	-	B12	-
	30	11 / 42	870	B0	B8	-	B11	-
	32	12 / 43	870	B0	B7	-	B10	-
	33	12 / 44	870	B0	B5	-	B8	-

1. Disc-speed 535 1/min 2. Disc-speed 600 1/min





Breite		kg / ha		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
		km / h	12,0	-	-	-	-	5	5,5	6,5	7,5	8	9	9,5	10,5	11,5	12	13	14	14,5	15,5	16	18	19,5	22,5	26	29	32,5
10	km / h	12,0	-	-	-	-	5	6	7	8	9	9,5	10,5	11,5	12,5	13,5	14,5	15,5	16,5	17,5	18,5	19,5	21,5	23,5	27,5	31	35	39
12	km / h	12,0	-	-	-	5	6	7,5	8,5	9,5	11	12	13,5	14,5	16	17	18,5	19,5	20,5	22	23	24,5	27	29	34	39	44	48,5
15	km / h	12,0	-	-	5	6,5	8	9	10,5	11,5	13	14,5	16	17	18	19,5	21	22	23,5	24,5	26	28,5	31	36,5	41,5	46,5	52	
16	km / h	12,0	-	-	5	6,5	8	9	10,5	11,5	13	14,5	16	17	18	19,5	21	22	23,5	24,5	26	28,5	31	36,5	41,5	46,5	52	
18	km / h	12,0	-	-	6	7,5	9	10	11,5	13	14,5	16	17,5	19	20,5	22	23,5	25	26,5	28	29	32	35	41	46,5	52,5	58,5	
20	km / h	12,0	-	5	6,5	8	9,5	11,5	13	14,5	16	18	19,5	21	22,5	24,5	26	27,5	29	31	32,5	35,5	39	45,5	52	58,5	-	
21	km / h	12,0	-	5	7	8,5	10	12	13,5	15,5	17	18,5	20,5	22	24	25,5	27,5	29	30,5	32,5	34	37,5	41	47,5	54,5	-	-	
24	km / h	12,0	-	6	8	9,5	11,5	13,5	15,5	17,5	19,5	21,5	23,5	25,5	27,5	29	31	33	35	37	39	43	46,5	54,5	-	-	-	
27	km / h	12,0	-	6,5	9	11	13	15,5	17,5	19,5	22	24	26,5	28,5	30,5	33	35	37,5	39,5	41,5	44	48	52,5	-	-	-	-	
28	km / h	12,0	-	7	9	11,5	13,5	16	18	20,5	22,5	25	27,5	29,5	32	34	36,5	38,5	41	43	45,5	50	54,5	-	-	-	-	



Breite		kg / ha																									
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000	
30	km / h	12,0	5	7,5	9,5	12	14,5	17	19,5	22	24,5	27	29	31,5	34	36,5	39	41,5	44	46,5	48,5	53,5	58,5	-	-	-	-
	km / h	12,0	5	8	10,5	13	15,5	18	21	23,5	26	28,5	31	34	36,5	39	41,5	44	46,5	49,5	52	57	-	-	-	-	-
33	km / h	12,0	5,5	8	10,5	13,5	16	18,5	21,5	24	27	29,5	32	35	37,5	40	43	45,5	48	51	53,5	59	-	-	-	-	-
	km / h	12,0	5,5	8	10,5	13,5	16	18,5	21,5	24	27	29,5	32	35	37,5	40	43	45,5	48	51	53,5	59	-	-	-	-	-



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
10	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	24,5
16	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	23,5	26
18	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20,5	23,5	26,5	29
20	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22,5	26	29	32,5
21	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20,5	24	27,5	30,5	34
24	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21,5	23,5	27,5	31	35	39
27	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	22	24	26,5	30,5	35	39,5	44	
28	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20,5	21,5	22,5	25	27,5	32	36,5	41	45,5	



Breite		kg / ha																								
		50	75	100	125	150	175	200	225	250	275	300	325	350	375	400	425	450	475	500	550	600	700	800	900	1.000
30	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20,5	22	23	24,5	27	29	34	39	44	48,5
32	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	-	21	22	23,5	24,5	26	28,5	31	36,5	41,5	46,5	52	
33	km / h 12,0	-	-	-	-	-	-	-	-	-	-	-	-	20	21,5	23	24	25,5	27	29,5	32	37,5	43	48	53,5	


















(583026849)

ORIGIN 25-5-5

No.29



1.25 2.67 mm 1.00 kg/l 14.4

ZGTS															
TS 1	15	34	600	A	1	500	1	23	500	1	33	500	18	-2	180
	16	36	600	A	1	720	1	22	600	1	32	500	18	-1	210
	18	41	600	A	1	720	1	21	600	1	31	500	18	1	250
	20	39	800	A	1	720	1	21	720	1	31	600	22	-2	210
	21	41	800	A	1	720	1	20	720	1	30	600	22	-1	220
	24	45	900	A	1	800	1	17	800	1	27	720	25	0	250
TS 2	21	8	600	B	3	720	3	26	600	3	36	500	23	-1	190
	24	14	600	D	X	500	1	25	600	1	35	500	23	2	250
	27	15	800	B	3	900	3	25	800	3	35	720	28	-1	200
	28	16	800	B	3	900	3	24	800	3	34	720	28	0	220
	30	18	900	D	X	720	1	23	800	1	33	720	30	0	210
TS 3	24	7	600	C	3	720	3	23	600	3	33	500	26	-2	190
	27	12	600	C	3	720	3	21	600	3	31	500	27	1	250
	28	11	720	C	3	800	3	22	720	3	32	600	30	-1	200
	30	13	800	C	3	900	3	22	800	3	32	720	31	-1	210
	32	15	900	C	3	900	3	21	800	3	31	720	33	-1	210
	33	16	900	C	3	900	3	21	800	3	31	720	34	-1	220
	36	20	900	D	X	720	1	21	800	1	31	720	34	1	260





















(583026849)

ORIGIN 25-5-5























No.29



1.25 2.67 mm 1.00 kg/l 14.4

ZGTS																
TS 10	15	34	600	A	1	500	1	23	500	1	33	500	18	-2	180	
	16	36	600	A	1	720	1	22	600	1	32	500	18	-1	210	
	18	41	600	A	1	720	1	21	600	1	31	500	18	1	250	
	20	39	800	A	1	720	1	21	720	1	31	600	22	-2	210	
	21	41	800	A	1	720	1	20	720	1	30	600	22	-1	220	
	24	45	900	A	1	800	1	17	800	1	27	720	25	0	250	
TS 20	18	18	600	B	3	720	3	28	600	3	38	500	21	-2	170	
	20	22	600	B	3	720	3	27	600	3	37	500	21	0	210	
	21	25	600	B	3	720	3	26	600	3	36	500	21	1	230	
	24	29	720	B	3	800	3	26	720	3	36	600	24	0	230	
	27	30	900	B	3	900	3	25	800	3	35	720	28	-1	210	
	28	32	900	D	X	720	1	24	800	1	34	720	28	0	230	
	30	35	900	D	X	720	1	23	800	1	33	720	28	1	260	
TS 30	24	7	600	C	3	720	3	23	600	3	33	500	26	-2	190	
	27	12	600	C	3	720	3	21	600	3	31	500	27	1	250	
	28	11	720	C	3	800	3	22	720	3	32	600	30	-1	200	
	30	13	800	C	3	900	3	22	800	3	32	720	31	-1	210	
	32	15	900	C	3	900	3	21	800	3	31	720	33	-1	210	
	33	16	900	C	3	900	3	21	800	3	31	720	34	-1	220	
	36	20	900	D	X	720	1	21	800	1	31	720	34	1	260	



	Working width		Telescope position
	Vane setting		Switch-on point [m]
	Spreading disc speed		Switch-off point [m]
	Side spreading		Throwing angle
	Boundary spreading		throw distance
	Water course spreading		Limiter position
	Limiter		Limiter level
	Mengenreduzierung Position		Boundary spreading disc / boundary spreading vane
	Rate reduction in %		Calibration factor
	Delivery system		Granule diameter
	Telescope		Bulk density

PTO shaft	1 : 1.33	Spreading disc speed
375		500
415		550
450		600
540		720
600		800
650		870
675		900
750		1000



AMAZONE

Amazonen-Werke H.Dreyer SE & Co. KG

Am Amazonenwerk 9-13
Hasbergen-Gaste 49205
+49 5405 501111
duengeservice@amazonone.de